

Material Safety Data Sheet

N,N-Diethyl-M-Toluidine, 99+% (GC)

Section 1 - Chemical Product and Company Identification

MSDS Name: N,N-Diethyl-M-Toluidine, 99+% (GC)

Catalog Numbers: AC407530000, AC407530010, AC407532500

Synonyms: Benzenamine, N,N-Diethyl-3-Methyl-

Company Identification:

**Alchemie finechem pvt ltd
ADMN OFFICE : 127,UDYOG
KSHETRA, 1ST FLOOR,MULUND
GOREGAON LINK ROAD, MULUND
(W),MUMBAI,MAHARASHTRA
400080. MAHARASHTRA INDIA**

Emergency telephone number : 00-91-22-6797 6666 /6697

Section 2 - Composition, Information on Ingredients

CAS#: 91-67-8

Chemical Name: Benzenamine, N,N-Diethyl-3-Methyl-

#: >99

EINECS#: 202-089-3

Hazard Symbols: XN



Risk Phrases: 20/21/22 36/37/38

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Warning! May be harmful if swallowed, inhaled, or absorbed through the skin. Causes eye, skin, and respiratory tract irritation. Target Organs: Respiratory system, eyes, skin.

Potential Health Effects

Eye: Causes eye irritation.

Skin: Causes skin irritation.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea. The toxicological properties of this substance have not been fully investigated.

Inhalation: Causes respiratory tract irritation.

Chronic: No information found.

Section 4 - First Aid Measures

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Ingestion: Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. Containers may explode when heated.

Extinguishing Media:

Use agent most appropriate to extinguish fire. Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Autoignition Temperature: Not available

Flash Point: 101 deg C (213.80 deg F)

Explosion Limits: Lower: Not available

Explosion Limits: Upper: Not available

NFPA Rating: health: 2; flammability: 1; instability: 0;

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Provide ventilation.

Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation.

Storage: Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 - Exposure Controls, Personal Protection

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Benzenamine, N,N-Diethyl-3-Methyl-	none listed	none listed	none listed

OSHA Vacated PELs: Benzenamine, N,N-Diethyl-3-Methyl-: None listed

Engineering Controls:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Exposure Limits

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Section 9 - Physical and Chemical Properties

Physical State: Liquid

Color: colorless

Odor: Not available

pH: Not available

Vapor Pressure: Not available

Vapor Density: 5.63

Evaporation Rate: Not available

Viscosity: Not available

Boiling Point: 97 deg C @ 17.00mm Hg (206.60 F)

Freezing/Melting Point: Not available

Decomposition Temperature: Not available

Solubility in water: Not available

Specific Gravity/Density: .9200g/cm³

Molecular Formula: C₁₁H₁₇N

Molecular Weight: 163.26

Section 10 - Stability and Reactivity

Chemical Stability: Stable at room temperature in closed containers under normal storage and handling conditions.

Conditions to Avoid: Incompatible materials, ignition sources, excess heat, strong oxidants.

Incompatibilities with Other Materials : Not available

Hazardous Decomposition Products Carbon monoxide, oxides of nitrogen, oxides of nitrogen, carbon dioxide.

Hazardous Polymerization Has not been reported.

Section 11 - Toxicological Information

RTECS#: CAS# 91-67-8: CX9869375

RTECS:

LD50/LC50: CAS# 91-67-8: Inhalation, rat: LC50 = 4660 mg/m³/4H;

Carcinogenicity: Benzenamine, N,N-Diethyl-3-Methyl- - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

Other: See actual entry in RTECS for complete information.

Section 12 - Ecological Information

Not available

Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14 - Transport Information

US DOT

Shipping Name: Not regulated as a hazardous material

Hazard Class:

UN Number:

Packing Group:

Canada TDG

Shipping Name: Not available

Hazard Class:

UN Number:

Packing Group:

Section 15 - Regulatory Information

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: XN

Risk Phrases:

R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R 36/37/38 Irritating to eyes, respiratory system and skin.

Safety Phrases:

S 24/25 Avoid contact with skin and eyes.

S 28A After contact with skin, wash immediately with plenty of water.

S 37 Wear suitable gloves.

S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

WGK (Water Danger/Protection)

CAS# 91-67-8: 2

Canada

CAS# 91-67-8 is listed on Canada's NDSL List

Canadian WHMIS Classifications: D2B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations

and the MSDS contains all of the information required by those regulations.

CAS# 91-67-8 is not listed on Canada's Ingredient Disclosure List.

US Federal

TSCA

CAS# 91-67-8 is listed on the TSCA

Inventory.

Section 16 - Other Information

MSDS Creation Date: 6/29/1999

Revision #5 Date 7/20/2009

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.
