ChemicalBook

Chemical Safety Data Sheet MSDS / SDS

1,3-Butadiene diepoxide

Revision Date: 2024-12-21 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : 1,3-Butadiene diepoxide

CBnumber : CB0444763

CAS : 1464-53-5

EINECS Number : 215-979-1

Synonyms : 2,2'-Bioxirane,DIEPOXYBUTANE

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

SECTION 2: Hazards identification

Classification of the substance or mixture

Acute toxicity - Category 3, Oral

Acute toxicity - Category 3, Dermal

Skin corrosion, Sub-category 1B

Acute toxicity - Category 2, Inhalation

Germ cell mutagenicity, Category 1B

Carcinogenicity, Category 1B

Label elements

Pictogram(s)

Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour

H301 Toxic if swalloed

H311 Toxic in contact with skin

H314 Causes severe skin burns and eye damage

H330 Fatal if inhaled

H340 May cause genetic defects

H350 May cause cancer

Precautionary statement(s)

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

P320 Specific treatment is urgent (see ... on this label).

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302+P350 IF ON SKIN: Gently wash with plenty of soap and water.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P405 Store locked up.

Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P284 [In case of inadequate ventilation] wear respiratory protection.

P203 Obtain, read and follow all safety instructions before use.

Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P316 Get emergency medical help immediately.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P320 Specific treatment is urgent (see ... on this label).

P318 IF exposed or concerned, get medical advice.

Storage

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

Product name : 1,3-Butadiene diepoxide

Synonyms : 2,2'-Bioxirane,DIEPOXYBUTANE

CAS : 1464-53-5
EC number : 215-979-1
MF : C4H6O2
MW : 86.09

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

SYMPTOMS: Exposure to this compound in humans may cause swollen eyelids, irritation of the upper respiratory tract and painful eye irritation 6 hours past exposure. Systemic toxicity may be caused by skin contact. It causes pronounced nasal and eye irritation at 10 ppm but barely recognizable at 5 ppm after 5-minute exposure. It may also cause mucous membrane irritation. Other symptoms include severe pulmonary irritation and depression of the hematopoietic system. Other symptoms include lacrimation, clouding of the cornea, labored breathing, lung congestion, atrophy of the thymus, involution of the spleen and decreased weight gain. Causes of death are pulmonary edema and shock following extreme local irritation. It may also cause reduced or loss of spermatogenesis, leukopenia and lymphopenia.

ACUTE/CHRONIC HAZARDS: This compound is highly toxic on inhalation and moderately toxic following skin absorption or ingestion. It is

readily absorbed through the skin and respiratory tract. It is irritating to the skin, eyes, mucous membranes and upper respiratory tract. When heated to decomposition it emits toxic fumes of carbon monoxide and carbon dioxide. (NTP, 1992)

Severe skin and eye irritant. Accidental minor exposure caused swelling of the eyelids, upper respiratory tract irritation and painful eye irritation 6 hours after exposure.NOTE: The dl- and meso-forms (CAS Registry Numbers 298-18-0 and 564-00-1, respectively) as well as the

L(-) form (CAS Registry Number 30031-64-2) have all been determined to be positive animal carcinogens. (EPA, 1998)

Indication of any immediate medical attention and special treatment needed

Basic treatment: Establish a patent airway. Suction if necessary. Watch for signs of respiratory insufficiency and assist ventilations if necessary. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Monitor for pulmonary edema and treat if necessary. Anticipate seizures and treat if necessary. For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with normal saline during transport. Do not use emetics. For ingestion, rinse mouth and administer 5 ml/kg up to 200 ml of water for dilution if the patient can swallow, has a strong gag reflex, and does not drool. Administer activated charcoal. Cover skin burns with sterile dressings after decontamination. Ethylene oxide and related compounds

SECTION 5: Firefighting measures

Extinguishing media

Fires involving this compound should be controlled with a dry chemical, carbon dioxide or Halon extinguisher. (NTP, 1992)

Specific Hazards Arising from the Chemical


This chemical is combustible. (NTP, 1992)

When heated to decomposition it emits acrid smoke and irritating fumes. (EPA, 1998)

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

PRECAUTIONS FOR "CARCINOGENS": A high-efficiency particulate arrestor (HEPA) or charcoal filters can be used to minimize amt of carcinogen in exhausted air ventilated safety cabinets, lab hoods, glove boxes or animal rooms ... Filter housing that is designed so that used filters can be transferred into plastic bag without contaminating maintenance staff is avail commercially. Filters should be placed in plastic bags immediately after removal ... The plastic bag should be sealed immediately ... The sealed bag should be labelled properly ... Waste liquids ... should be placed or collected in proper containers for disposal. The lid should be secured & the bottles properly labelled. Once filled, bottles should be placed in plastic bag, so that outer surface ... is not contaminated ... The plastic bag should also be sealed & labelled. ... Broken glassware ... should be decontaminated by solvent extraction, by chemical destruction, or in specially designed incinerators. Chemical Carcinogens

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

PRECAUTIONS FOR "CARCINOGENS": Storage site should be as close as practical to lab in which carcinogens are to be used, so that only small quantities required for ... expt need to be carried. Carcinogens should be kept in only one section of cupboard, an explosion-proof refrigerator or freezer (depending on chemicophysical properties ...) that bears appropriate label. An inventory ... should be kept, showing quantity of carcinogen & date it was acquired ... Facilities for dispensing ... should be contiguous to storage area. Chemical Carcinogens

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state	neat
Colour	Colorless liquid
Odour	no data available
Melting point/freezing point	188°C(lit.)
Boiling point or initial boiling point and	56-58°C/25mmHg(lit.)
boiling range	
Flammability	no data available
Lower and upper explosion	no data available
limit/flammability limit	
Flash point	46°C
Auto-ignition temperature	no data available
Decomposition temperature	no data available
рН	no data available
Kinematic viscosity	no data available
Solubility	greater than or equal to 100 mg/mL at 67.1° F (NTP, 1992)
Partition coefficient n-octanol/water	log Kow = -0.28
Vapour pressure	25 mm Hg (56 °C)
Density and/or relative density	1.1
Relative vapour density	1.1
Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

Highly flammable. Water soluble. Slowly hydrolyzes in water.

Chemical stability

no data available

Possibility of hazardous reactions

D,L-1,2:3,4-DIEPOXYBUTANE is incompatible with acids, bases and oxidizing agents. Reacts with 4-(4'-nitrobenzyl)pyridine. Also reacts with alcohols, amines, phenols. (NTP, 1992)

Conditions to avoid

no data available

Incompatible materials

no data available

Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

• Oral: LD50 Mouse oral 72 mg/kg

• Inhalation: LC50 Rat inhalation 90 ppm/4 hr

· Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

The Human Health Assessment Group in EPA's Office of Health and Environmental Assessment has evaluated 1,2:3,4-diepoxybutane for carcinogenicity. According to their analysis, the weight-of-evidence for 1,2:3,4-diepoxybutane is group B2, which is based on no evidence in humans and sufficient evidence in animals. As a group B2 chemical, 1,2:3,4-diepoxybutane is considered to be probably carcinogenic to humans.

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

no data available

Bioaccumulative potential

An estimated BCF of 0.36 was calculated for 1,2:3,4-diepoxybutane(SRC), using a log Kow of -0.28(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

Mobility in soil

The Koc of 1,2:3,4-diepoxybutane is estimated as 17(SRC), using a measured log Kow of -0.28(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that 1,2:3,4-diepoxybutane is expected to have very high mobility in soil(SRC).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: no data available IMDG: no data available

IATA: no data available

UN Proper Shipping Name

ADR/RID: no data available IMDG: no data available IATA: no data available

Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Not Listed.

PICCS

Not Listed.

Vietnam National Chemical Inventory

Listed.

IECSC

Not Listed.

Korea Existing Chemicals List (KECL)

Not Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.