# Chemical Safety Data Sheet MSDS / SDS

# 1-lodopropane

Revision Date:2024-12-21 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **Product identifier**

| Product name  | : 1-lodopropane  |  |  |  |  |
|---|--|--|--|--|--|
| CBnumber  | : CB8852698  |  |  |  |  |
| CAS   | : 107-08-4   |  |  |  |  |
| EINECS Number   | : 203-460-2  |  |  |  |  |
| Synonyms  | : 1-iodopropane,propyl iodide  |  |  |  |  |
| Relevant identified uses of the substance or mixture and uses advised against |  |  |  |  |  |
| Relevant identified uses  | : For R&D use only. Not for medicinal, household or other use.                       |  |  |  |  |
| Uses advised against  | : none   |  |  |  |  |
| Company Identification  |  |  |  |  |  |
| Company   | : Chemicalbook   |  |  |  |  |
| Address   | : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing |  |  |  |  |
| Telephone   | : 400-158-6606   |  |  |  |  |

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P370+P378 In case of fire: Use ... for extinction.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### Hazard statements

H226 Flammable liquid and vapour

H331 Toxic if inhaled

H332 Harmful if inhaled

1

# SECTION 3: Composition/information on ingredients

# Substance

| Product name | : 1-lodopropane               |
|--------------|-------------------------------|
| Synonyms     | : 1-iodopropane,propyl iodide |
| CAS          | : 107-08-4                    |
| EC number    | : 203-460-2                   |
| MF           | : C3H7I                       |
| MW           | : 169.99                      |
|              |                               |

# SECTION 4: First aid measures

# Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### lf inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### **Extinguishing media**

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### Special hazards arising from the substance or mixture

Carbon oxides Hydrogen iodide Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **Further information**

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **NFPA 704**

|  | HEALTH        | 2 | Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u> , ammonium phosphate, iodine)  |  |
|--|---------------|---|---|--|
|  | FIRE          | 2 | Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, <u>sulfur</u> ) |  |
|  | REACT         | 1 | Normally stable, but can become unstable at elevated temperatures and pressures (e.g. propene)  |  |
|  | SPEC.<br>HAZ. |   |   |  |

# SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains. Risk of explosion.

#### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb?). Dispose of properly. Clean up affected area.

# Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

## Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

# Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Light sensitive.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

#### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton?

Minimum layer thickness: 0,7 mm Break through time: 480 min

#### Material tested:Vitoject? (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 30 min Material tested:Butoject? (KCL 898) **Body Protection** Flame retardant antistatic protective clothing. **Respiratory protection** Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# SECTION 9: Physical and chemical properties

#### Information on basic physicochemical properties

| Appearance                              | liquid  |
|---|---|
| Odour                                   | No data available   |
| Odour Threshold                         | No data available   |
| рН                                      | No data available   |
| Melting point/freezing point            | Melting point/range: -101 °C - lit.   |
| Initial boiling point and boiling range | 101 - 102 °C - lit.   |
| Flash point                             | 44 °C   |
| Evaporation rate                        | No data available   |
| Flammability (solid, gas)               | No data available   |
| Upper/lower flammability or explosive   | No data available   |
| limits                                  |   |
| Vapour pressure                         | 57,33 hPa at 25 °C  |
| Vapour density                          | No data available   |
| Relative density                        | No data available   |
| Water solubility                        | 1.1g/l  |
| Partition coefficient: n-octanol/water  | No data available   |
| Autoignition temperature                | No data available   |
| Decomposition temperature               | No data available   |
| Viscosity                               | Viscosity, kinematic: No data available Viscosity, dynamic: No data available |
| Explosive properties                    | No data available   |
| Oxidizing properties                    | No data available   |

#### Other safety information

No data available

# SECTION 10: Stability and reactivity

#### Reactivity

Vapor/air-mixtures are explosive at intense warming.

#### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature). Contains the following stabilizer(s):

Copper (<=1 %)

### Possibility of hazardous reactions

No data available

Conditions to avoid

Heating.

#### Incompatible materials

Strong oxidizing agents

#### Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

#### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Mouse - > 1.800 mg/kg (1-lodopropane)

Remarks: (RTECS)

Acute toxicity estimate Inhalation - 4 h - 10,2 mg/l (Calculation method)

Acute toxicity estimate Inhalation - 4 h - 10,1 mg/l (1-lodopropane) (Expert judgment)

# Skin corrosion/irritation

No data available

Causes skin irritation. (1-lodopropane)

#### Serious eye damage/eye irritation

Causes serious eye irritation. (1-lodopropane)

### Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Suspected of causing genetic defects. (1-lodopropane)

#### Carcinogenicity

No data available
Reproductive toxicity
No data available
Specific target organ toxicity - single exposure
May cause respiratory irritation. (1-lodopropane)
Specific target organ toxicity - repeated exposure
No data available
Aspiration hazard
No data available (1-lodopropane)
Terriste

# Toxicity

LD<sub>50</sub> (inhalation) for rats 73,000 mg/m<sup>3</sup>/30-min (quoted, RTECS, 1985).

# SECTION 12: Ecological information

### Toxicity

No data available

### Persistence and degradability

No data available

### **Bioaccumulative potential**

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

#### Mobility in soil

No data available (1-lodopropane)

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

No data available

# SECTION 13: Disposal considerations

# Waste treatment methods

# Product

See www.retrologistik.com for processes regarding the return of chemicals and

containers, or contact us there if you have further questions.

# SECTION 14: Transport information

# **UN number**

ADR/RID: 2392 IMDG: 2392 IATA: 2392

#### UN proper shipping name

ADR/RID: IODOPROPANES IMDG: IODOPROPANES IATA: lodopropanes

### Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

#### **Packaging group**

ADR/RID: III IMDG: III IATA: III

## **Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

## Special precautions for user

No data available

# **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

EC Inventory:Listed.

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

Korea Existing Chemicals List (KECL):Not Listed. website: http://ncis.nier.go.kr

# **SECTION 16: Other information**

# Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### **Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.