Chemical Safety Data Sheet MSDS / SDS

1-Tetradecanol

Revision Date: 2024-12-21 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

 Product name
 : 1-Tetradecanol

 CBnumber
 : CB8689436

 CAS
 : 112-72-1

 EINECS Number
 : 204-000-3

Synonyms : 1-Tetradecanol, Myristyl alcohol

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Warning

Precautionary statements

P264 Wash hands thoroughly after handling.

P264 Wash skin thouroughly after handling.

P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P321 Specific treatment (see ... on this label).

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P337+P313 IF eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to.....

Hazard statements

H319 Causes serious eye irritation

H410 Very toxic to aquatic life with long lasting effects

SECTION 3: Composition/information on ingredients

Substance

Product name : 1-Tetradecanol

Synonyms : 1-Tetradecanol, Myristyl alcohol

CAS : 112-72-1
EC number : 204-000-3
MF : C14H30O
MW : 214.39

SECTION 4: First aid measures

Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Carbon oxides

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information


No data available

SPEC.

HAZ.

П

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Odour characteristic Odour Threshold No data available pH No data available Melting point/freezing point Melting point/range: 35 - 39 °C - lit. Initial boiling point and boiling range 289 °C - lit. Flash point 148 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive No data available Imits Vapour pressure Vapour density 7.4 (vs air) Relative density 0.823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow: 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2.845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Appearance	colorless solid
pH No data available Melting point/freezing point Melting point/range: 35 - 39 °C - lit. Initial boiling point and boiling range 289 °C - lit. Flash point 148 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive No data available limits Vapour pressure ca.0,008 hPa at ca.38 °C Vapour density 7.4 (vs air) Relative density 0,823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow: 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Odour	characteristic
Melting point/freezing point Melting point/range: 35 - 39 °C - lit. Initial boiling point and boiling range 289 °C - lit. Flash point 148 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive No data available limits Vapour pressure ca.0,008 hPa at ca.38 °C Vapour density 7.4 (vs air) Relative density 0,823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow. 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Odour Threshold	No data available
Initial boiling point and boiling range 289 °C - lit. Flash point 148 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive No data available limits Vapour pressure ca.0,008 hPa at ca.38 °C Vapour density 7.4 (vs air) Relative density 0,823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow. 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	рН	No data available
Flash point 148 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive Imits Vapour pressure ca.0,008 hPa at ca.38 °C Vapour density 7.4 (vs air) Relative density 0,823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow: 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Melting point/freezing point	Melting point/range: 35 - 39 °C - lit.
Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive No data available limits Vapour pressure ca.0,008 hPa at ca.38 °C Vapour density 7.4 (vs air) Relative density 0,823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow. 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Initial boiling point and boiling range	289 °C - lit.
Flammability (solid, gas) No data available Upper/lower flammability or explosive limits Vapour pressure Ca.0,008 hPa at ca.38 °C Vapour density 7.4 (vs air) Relative density 0,823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow: 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Flash point	148 °C - closed cup
Upper/lower flammability or explosive limits Vapour pressure ca.0,008 hPa at ca.38 °C Vapour density 7.4 (vs air) Relative density 0,823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow: 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Evaporation rate	No data available
Vapour pressure ca.0,008 hPa at ca.38 °C Vapour density 7.4 (vs air) Relative density 0,823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow: 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Flammability (solid, gas)	No data available
Vapour pressure ca.0,008 hPa at ca.38 °C Vapour density 7.4 (vs air) Relative density 0,823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow: 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Upper/lower flammability or explosive	No data available
Vapour density 7.4 (vs air) Relative density 0,823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow: 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	limits	
Relative density 0,823 g/mL at 25 °C Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow: 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Vapour pressure	ca.0,008 hPa at ca.38 °C
Water solubility 0,0013 g/l at 23 °C - slightly soluble Partition coefficient: n-octanol/water log Pow: 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Vapour density	7.4 (vs air)
Partition coefficient: n-octanol/water log Pow: 5,5 ca. Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Relative density	0,823 g/mL at 25 °C
Autoignition temperature 259 °C at 1.013 hPa Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Water solubility	0,0013 g/l at 23 °C - slightly soluble
Decomposition temperature No data available Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Partition coefficient: n-octanol/water	log Pow: 5,5 ca.
Viscosity 2,845 mm2/s at 100 °C - ASTM D 445 - Explosive properties No data available	Autoignition temperature	259 °C at 1.013 hPa
Explosive properties No data available	Decomposition temperature	No data available
	Viscosity	2,845 mm2/s at 100 °C - ASTM D 445 -
Oxidizing properties No data available	Explosive properties	No data available
	Oxidizing properties	No data available

Other safety information

No data available

SECTION 10: Stability and reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

No data available

Incompatible materials

Strong oxidizing agents, Acid chlorides, Acid anhydrides

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 401)

LD50 Dermal - Rabbit - male and female - 8.000 mg/kg

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Moderate eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: Does not cause skin sensitization. (OECD Test Guideline 406)

Germ cell mutagenicity

Ames test

S. typhimurium Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: XB8655000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Toxicity

LD50 orally in Rabbit: > 2000 mg/kg LD50 dermal Rabbit > 2000 mg/kg

SECTION 12: Ecological information

Toxicity

Toxicity to fish

semi-static test LC50 - Danio rerio (zebra fish) - > 10.000 mg/l - 96 h

(Directive 67/548/EEC, Annex V, C.1.)

Toxicity to daphnia and other aquatic invertebrates

semi-static test EC50 - Daphnia magna (Water flea) - 3,2 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae

static test EC50 - Desmodesmus subspicatus (green algae) - > 10 mg/l - 96 h

(OECD Test Guideline 201)

Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 82,2 % - Readily biodegradable. (OECD Test Guideline 301B)

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Waste material must be disposed of in accordance with the Directive on

waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Incompatibilities

Myristyl alcohol is combustible when exposed to heat or flame. It can react with oxidizing materials. When heated to decomposition, it emits acrid smoke and irritating fumes.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

UN number

ADR/RID: 3077 IMDG: 3077 IATA: 3077

UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-tetradecanol,

n-)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-tetradecanol,

n-)

IATA: Environmentally hazardous substance, solid, n.o.s. (1-tetradecanol, n-)

Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

Packaging group

ADR/RID: III IMDG: III IATA: III

Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

Special precautions for user

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids. Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

EC Inventory:Listed.

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.