

## Chemical Safety Data Sheet MSDS / SDS

**3-Methacryloxypropyltrimethoxysilane**

Revision Date:2024-12-21 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : 3-Methacryloxypropyltrimethoxysilane  
CBnumber : CB6240961  
CAS : 2530-85-0  
EINECS Number : 219-785-8  
Synonyms : KH570, 3 - ( T r i m e t h o x y s i l y l ) p r o p y l M e t h a c r y l a t e

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)

**Precautionary statements**

P405 Store locked up.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

**Hazard statements**

H335 May cause respiratory irritation  
H319 Causes serious eye irritation  
H315 Causes skin irritation  
H227 Combustible liquid

**SECTION 3: Composition/information on ingredients**

## Substance

Product name	: 3-Methacryloxypropyltrimethoxysilane
Synonyms	: KH570, 3 - ( T r i m e t h o x y s i l y l ) p r o p y l M e t h a c r y l a t e
CAS	: 2530-85-0
EC number	: 219-785-8
MF	: C10H20O5Si
MW	: 248.35

---

## SECTION 4: First aid measures

### Description of first aid measures

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides silicon oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.


### Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

## Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## NFPA 704



**HEALTH 2** Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

**FIRE 0** Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

**REACT 0** Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

SPEC.  
 HAZ.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb? ). Dispose of properly. Clean up affected area.

### Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### Precautions for safe handling

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

## Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed.

Moisture sensitive. Handle and store under inert gas. Heat sensitive.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### Exposure controls

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Latex gloves

Minimum layer thickness: 0,6 mm Break through time: 480 min

Material tested: Lapren? (KCL 706 / Aldrich Z677558, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 30 min

Material tested: KCL 741 Dermatril? L

##### Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	colorless liquid
Odour	ester-like
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point: < -20 °C at 1.013 hPa - OECD Test Guideline 102
Initial boiling point and boiling range	190 °C - lit.
Flash point	92 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 5,4 %(V) Lower explosion limit: 0,9 %(V)
Vapour pressure	0,023 hPa at 25 °C - OECD Test Guideline 104
Vapour density	8,57 - (Air = 1.0)
Relative density	1.045
Water solubility	0,08262 g/l at 20 °C - OECD Test Guideline 105- slightly soluble, hydrolyzes
Partition coefficient: n-octanol/water	log Pow: 2,1 at 21 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.
Autoignition temperature	275 °C at 1.013 hPa - DIN 51794
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: ca.2,8 mPa.s at 20 °C
Explosive properties	No data available
Oxidizing properties	No data available

### Other safety information

Relative vapor density

8,57 - (Air = 1.0)

---

## SECTION 10: Stability and reactivity

### Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### **Possibility of hazardous reactions**

Violent reactions possible with:

bases Peroxides metallic salts

Oxidizing agents

### **Conditions to avoid**

Heat.

Strong heating.

### **Incompatible materials**

Strong oxidizing agents

### **Hazardous decomposition products**

In the event of fire: see section 5

---

## **SECTION 11: Toxicological information**

### **Information on toxicological effects**

#### **Acute toxicity**

LD50 Oral - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 423)

LC50 Inhalation - Rat - male and female - 4 h - > 2,28 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

#### **Respiratory or skin sensitization**

#### **Germ cell mutagenicity**

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476

Result: negative

Test Type: In vivo micronucleus test Species: Mouse

Cell type: Red blood cells (erythrocytes) Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative

Test Type: comet assay Species: Rat

Application Route: inhalation (dust/mist/fume) Method: OECD Test Guideline 489

Result: negative

#### **Carcinogenicity**

No data available

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure**

No data available

#### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

#### **Toxicity**

LD50 oral in rat: 22600uL/kg

---

## SECTION 12: Ecological information

### **Toxicity**

#### **Toxicity to fish**

semi-static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h (Directive 67/548/EEC, Annex V, C.1.)

#### **Toxicity to daphnia and other aquatic invertebrates**

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (Directive 67/548/EEC, Annex V, C.2.)

#### **Toxicity to bacteria**

static test EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)

static test NOEC - activated sludge - >= 1.000 mg/l - 3 h (OECD Test Guideline 209)

### **Persistence and degradability**

Biodegradability aerobic - Exposure time 28 d

Result: 69 % - Readily biodegradable. (OECD Test Guideline 301F)

Remarks: The 10 day time window criterion is not fulfilled.

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and

very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **Other adverse effects**

No data available

---

## SECTION 13: Disposal considerations

#### **Waste treatment methods**

#### **Product**

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

#### **UN number**

ADR/RID: - IMDG: - IATA: -

#### **UN proper shipping name**

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

#### **Transport hazard class(es)**

ADR/RID: - IMDG: - IATA: -

#### **Packaging group**

ADR/RID: - IMDG: - IATA: -

#### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### **Special precautions for user**

No data available

---

## SECTION 15: Regulatory information

#### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Not Listed. website: <https://www.mem.gov.cn/>

##### **Measures for Environmental Management of New Chemical Substances**

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>



Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

---

## SECTION 16: Other information

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

### References

【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.