

## Chemical Safety Data Sheet MSDS / SDS

## Acetaminophen

Revision Date:2025-03-08 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier**

Product name : Acetaminophen  
CBnumber : CB1413658  
CAS : 103-90-2  
EINECS Number : 203-157-5  
Synonyms : Paracetamol,acetaminophen

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

**Classification of the substance or mixture**

Acute toxicity - Category 4, Oral

**Label elements****Pictogram(s)**

□□□□

Signal word : Danger

**Hazard statement(s)**

H225 Highly Flammable liquid and vapour  
H302 Harmful if swallowed  
H315 Causes skin irritation  
H317 May cause an allergic skin reaction  
H319 Causes serious eye irritation  
H335 May cause respiratory irritation  
H341 Suspected of causing genetic defects  
H370 Causes damage to organs

H371 May cause damage to organs

H372 Causes damage to organs through prolonged or repeated exposure

H373 May cause damage to organs through prolonged or repeated exposure

H402 Harmful to aquatic life

H411 Toxic to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects

#### **Precautionary statement(s)**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P311 Call a POISON CENTER or doctor/physician.

P330 Rinse mouth.

P391 Collect spillage. Hazardous to the aquatic environment

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P307+P311 IF exposed: call a POISON CENTER or doctor/physician.

P405 Store locked up.

P501 Dispose of contents/container to.....

#### **Prevention**

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

#### **Response**

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

#### **Storage**

none

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards**

no data available

---

## SECTION 3: Composition/information on ingredients

## Substance

Product name	: Acetaminophen
Synonyms	: Paracetamol,acetaminophen
CAS	: 103-90-2
EC number	: 203-157-5
MF	: C8H9NO2
MW	: 151.16

---

## SECTION 4: First aid measures

### Description of first aid measures

#### If inhaled

Fresh air, rest.

#### Following skin contact

Rinse and then wash skin with water and soap.

#### Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible).

#### Following ingestion

Give one or two glasses of water to drink.

### Most important symptoms and effects, both acute and delayed

**SYMPTOMS:** Symptoms of overexposure to this compound include nausea, vomiting, cyanosis from methemoglobinemia, injury to the liver, kidneys, central nervous system and heart, circulatory collapse, drowsiness, confusion, liver tenderness, low blood pressure, cardiac arrhythmias, jaundice, acute renal failure, death due to liver necrosis, metabolic acidosis, hepatic damage and cirrhosis. Other symptoms include changes in exocrine pancreas, diarrhea, irritability, somnolence, general anesthesia, fever and hepatitis. Diaphoresis and general malaise may occur. Exposure may lead to hematological reactions and, occasionally, skin rashes and other allergic reactions. The rash is usually erythematous or urticarial, but sometimes it is more serious and may be accompanied by drug fever and mucosal lesions. Exposure to large amounts may lead to pallor, anorexia, abdominal pain, abnormalities of glucose metabolism and hepatic encephalopathy. It may also lead to epigastric pain, sweating, paresthesias of distal extremities, muscular aching, weakness, dizziness, central nervous system depression (rare), pain in the upper right quadrant, enlarged liver, oliguria, anuria, coagulation defects and cardiomyopathy characterized by ST segment abnormalities, T-wave flattening and pericarditis. This compound can cause purpura, generalized bleeding and hypoglycemia. It can also cause neutropenia, pancytopenia, leukopenia, thrombocytopenia and nephrotoxicity. Other symptoms may include wheezing, general discomfort, blood changes including many anemias (aplastic anemia), central nervous system stimulation, swollen tongue, rapid pulse, skin eruptions, chills, excitement, delirium, vascular collapse and convulsions. Irritation of the skin, eyes, mucous membranes and upper respiratory tract may occur. **ACUTE/CHRONIC HAZARDS:** This compound may be harmful by ingestion and inhalation. It may cause irritation of the skin, eyes, mucous membranes and upper respiratory tract. When heated to decomposition it emits toxic fumes of carbon monoxide, carbon dioxide and nitrogen oxides. (NTP, 1992)

### Indication of any immediate medical attention and special treatment needed

Emergency and supportive measures. Spontaneous vomiting may delay the oral administration of antidote or charcoal and can be treated with metoclopramide or a serotonin receptor antagonist such as ondansetron. Provide general supportive care for hepatic or renal failure if it occurs. Emergency liver transplant may be necessary for fulminant hepatic failure. Encephalopathy, metabolic acidosis, hypoglycemia, and a progressive rise in the prothrombin time are indications of severe liver injury.

---

## SECTION 5: Firefighting measures

### Extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Special protective equipment for firefighters: Wear self contained breathing apparatus for fire fighting if necessary.


### Specific Hazards Arising from the Chemical

Flash point data for this chemical are not available; however, it is probably combustible. (NTP, 1992)

### Advice for firefighters

Use powder, alcohol-resistant foam, water spray, carbon dioxide.

### NFPA 704



HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

FIRE 1 Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N2](#))

SPEC.

HAZ.

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Do NOT let this chemical enter the environment.

### Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Do NOT let this chemical enter the environment.

### Methods and materials for containment and cleaning up

Personal precautions: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Provision to contain effluent from fire extinguishing. Store in an area without drain or sewer access. Keep container tightly closed in a dry and well-ventilated place. Keep in a dry place.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure limit values

Component	Paracetamol			
CAS No.	103-90-2			
	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Ireland	?	10	?	?
United Kingdom	?	10	?	?
	Remarks			

#### Biological limit values

no data available

#### Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

#### Individual protection measures

##### Eye/face protection

Wear safety goggles.

##### Skin protection

Protective gloves.

##### Respiratory protection

Use local exhaust or breathing protection.

##### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical state	Crystals or Crystalline Powder
Colour	White
Odour	Odorless
Melting point/freezing point	165.5 °C. Atm. press.:966 hPa. Remarks:Other details not available.
Boiling point or initial boiling point and boiling range	273 °C. Atm. press.:966 hPa. Remarks:Other details not available.
Flammability	Combustible.
Lower and upper explosion limit/flammability limit	15%(V)
Flash point	177 °C. Atm. press.:966 hPa.
Auto-ignition temperature	Atm. press.:966 hPa. Remarks:Paracetamol did not catch fire on being exposed to air at room temperature of 26 degC.
Decomposition temperature	no data available
pH	5.5-6.5 (H <sub>2</sub> O, 20°C)(saturated solution)
Kinematic viscosity	no data available
Solubility	ethanol: soluble0.5M, clear, colorless
Partition coefficient n-octanol/water	log Pow = 0.46. Temperature:25 °C. Remarks:PH not available.
Vapour pressure	0.008 Pa. Temperature:25 °C.
Density and/or relative density	0.679 g/cm <sup>3</sup> . Temperature:26 °C.
Relative vapour density	(air = 1): 5.2
Particle characteristics	no data available

---

## SECTION 10: Stability and reactivity

### Reactivity

Slightly soluble in water.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Not flammable or combustible.4-HYDROXYACETANILIDE is sensitive to light. Incompatible with strong oxidizers. (NTP, 1992).

### Conditions to avoid

no data available

### Incompatible materials

Oxidizing agents

## Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NO<sub>x</sub>).

---

## SECTION 11: Toxicological information

### Acute toxicity

- Oral: LD50 - mouse (female) - 338 mg/kg bw.
- Inhalation: LC50 - mouse - 33 900 mg/m<sup>3</sup> air.
- Dermal: no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

Evaluation: There is inadequate evidence in humans for the carcinogenicity of paracetamol. There is inadequate evidence in experimental animals for the carcinogenicity of paracetamol. Overall evaluation: Paracetamol is not classifiable as to its carcinogenicity to humans (Group 3).

### Reproductive toxicity

no data available

### STOT-single exposure

no data available

### STOT-repeated exposure

Ingestion may cause effects on the kidneys and liver. This may result in impaired functions.

### Aspiration hazard

A nuisance-causing concentration of airborne particles can be reached quickly.

---

## SECTION 12: Ecological information

### Toxicity

Toxicity to fish: LC50 - Pimephales promelas - 814 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia pulex - 136 mg/L - 24 h.

Toxicity to algae: EC50 - Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) - 134 mg/L - 72 h.

Toxicity to microorganisms: IGC50 - Tetrahymena pyriformis - 999 mg/L - 48 h.

### **Persistence and degradability**

AEROBIC: Acetaminophen has been categorized as readily biodegradable following acclimation(1). A half-life of 20 days has been reported for acetaminophen using an activated sludge inoculum(2). Half-lives of 40 and 17 days were observed when using activated sludge inoculums acclimated to phenol(3) and cresol(4), respectively. Acetaminophen reached 94% of its theoretical BOD in 6 days using an activated sludge inoculum and the Zahn-Wellens test(5). The rate constants for non-adapted, phenol-adapted, and cresol-adapted activated sludge (sludge concentrations of 500, 10, and 50 mg/L) were  $0.141 \times 10^{-2}$ ,  $0.713 \times 10^{-3}$ , and  $0.215 \times 10^{-2}$  1/hr, respectively(6); half-lives are 21, 40, and 13 days, respectively(SRC). Acetaminophen, present at 100 ug/L, exhibited biodegradation rates of 0.014/hr and 0.00051/hr in 5 days using Tamlya and Tsumeta River water (Japan), respectively, and the OECD 301-A river die-away test. The corresponding half-lives are 50 and 1400 hours, respectively(7).

### **Bioaccumulative potential**

An estimated BCF of 3 was calculated in fish for acetaminophen(SRC), using a log Kow of 0.46(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

### **Mobility in soil**

The Koc of acetaminophen is estimated as 21(SRC), using a log Kow of 0.46(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that acetaminophen is expected to have very high mobility in soil. The pKa of acetaminophen is 9.38(4), indicating that this compound will exist partially in the anion form in the environment and anions generally adsorb less strongly to soils containing organic carbon and clay than their neutral counterparts(5). However, low mobility was observed in soils with a high organic content. Kd values of 46 and 36 in clayey silt and silty sand, respectively, have been reported when the test compound was applied in standard dilution(6). Kd values of 45 and 41 in clayey silt and silty sand, respectively, have been reported when acetaminophen was applied as a test sludge; the average Kd value of 42 indicated low mobility(6). Acetaminophen, present at <0.009 ug/L, was not detected in leachate water (treated effluent from a municipal wastewater treatment facility) following a 23-day soil column leaching experiment using Mohall-Laveen sandy loam (detection limit = 0.009 ug/L)(7).

### **Other adverse effects**

no data available

---

## **SECTION 13: Disposal considerations**

### **Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.



---

## SECTION 14: Transport information

### UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

### Special precautions for user

no data available

### Transport in bulk according to IMO instruments

no data available

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

#### European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

#### EC Inventory

Listed.

#### United States Toxic Substances Control Act (TSCA) Inventory

Listed.

### **China Catalog of Hazardous chemicals 2015**

Not Listed.

### **New Zealand Inventory of Chemicals (NZIoC)**

Listed.

### **PICCS**

Listed.

### **Vietnam National Chemical Inventory**

Listed.

### **IECSC**

Listed.

### **Korea Existing Chemicals List (KECL)**

Listed.

---

## SECTION 16: Other information

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### **References**

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

#### **Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.