

## Chemical Safety Data Sheet MSDS / SDS

## Cyanuric chloride

Revision Date:2024-12-21 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Cyanuric chloride  
CBnumber : CB9852761  
CAS : 108-77-0  
EINECS Number : 203-614-9  
Synonyms : Cyanuric chloride,TCT

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P284 Wear respiratory protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.

P307+P311 IF exposed: call a POISON CENTER or doctor/physician.

P320 Specific treatment is urgent (see ... on this label).

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container to.....

#### **Hazard statements**

H301 Toxic if swallowed

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H330 Fatal if inhaled

H336 May cause drowsiness or dizziness

H341 Suspected of causing genetic defects

H361 Suspected of damaging fertility or the unborn child

H370 Causes damage to organs

H372 Causes damage to organs through prolonged or repeated exposure

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Cyanuric chloride
Synonyms	: Cyanuric chloride,TCT
CAS	: 108-77-0
EC number	: 203-614-9
MF	: C3Cl3N3
MW	: 184.41

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **In case of skin contact**

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a

physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Dry powder Dry sand

#### Unsuitable extinguishing media

Do NOT use water jet.

### Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas


### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### Further information

No data available

### NFPA 704



**HEALTH 4** Very short exposure could cause death or major residual injury (e.g. hydrogen cyanide, phosgene, methyl isocyanate, [hydrofluoric acid](#))

**FIRE 0** Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

**REACT 2** Undergoes violent chemical change at elevated temperatures and pressures, reacts violently with water, or may form explosive mixtures with water (e.g. white phosphorus, [potassium](#), [sodium](#))

---

<input type="checkbox"/>	SPEC.	<input checked="" type="checkbox"/>
<input type="checkbox"/>	HAZ.	<input checked="" type="checkbox"/>

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

### Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

#### Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

#### Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Store in cool place. Never allow product to get in contact with water during storage.

#### Storage stability

Recommended storage temperature

2 - 8 °C

Air and moisture sensitive. Handle and store under inert gas.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### Exposure controls

#### Personal protective equipment

##### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

##### Body Protection

Complete suit protecting against chemicals, Flame retardant protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

##### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	white powder
Odour	pungent
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point/range: 145 - 147 °C - lit.
Initial boiling point and boiling range	190 °C - lit.
Flash point	>200 °C - closed cup - ISO 3679
Evaporation rate	No data available
Flammability (solid, gas)	The product is not flammable. - Flammability (solids)
Upper/lower flammability or explosive limits	No data available
Vapour pressure	0,6 hPa at 20 °C - OECD Test Guideline 104
Vapour density	6,37 - (Air = 1.0)
Relative density	ca.1,904 at 21,6 °C - OECD Test Guideline 109
Water solubility	No data available
Partition coefficient: n-octanol/water	log Pow: 0,512 - - Bioaccumulation is not expected.
Autoignition temperature	>433 °C - Relative self-ignition temperature for solids does not ignite
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

### Other safety information

Bulk density 1.920 kg/m<sup>3</sup>

Relative vapor density

6,37 - (Air = 1.0)

## SECTION 10: Stability and reactivity

### Reactivity

Reacts violently with water.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Reacts violently with water.

## Conditions to avoid

Exposure to moisture.

## Incompatible materials

Strong oxidizing agents, Strong acids, Alcohols, Dimethylformamide, Amines, Dimethyl sulfoxide. (DMSO)

## Hazardous decomposition products

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - male - 315 mg/kg (OECD Test Guideline 401)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

LC50 Inhalation - Rat - male and female - 4 h - 0,15 mg/l (OECD Test Guideline 403)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, After a latency period:, Lung edema, Pneumonia

LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 24 h (OECD Test Guideline 404) Remarks:

Necrosis

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe irritations (OECD Test Guideline 405) Remarks:

(Regulation (EC) No 1272/2008, Annex VI) Causes serious eye damage.

### Respiratory or skin sensitization

(OECD Test Guideline 406)

### Germ cell mutagenicity

Ames test

Escherichia coli/Salmonella typhimurium Result: negative

In vitro mammalian cell gene mutation test mouse lymphoma cells

Result: negative

OECD Test Guideline 474

Mouse - male and female - Bone marrow Result: negative

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

May cause respiratory irritation.

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, After a latency period:, Lung edema, Pneumonia

#### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

#### **Toxicity**

LD50 orally in Rabbit: 315 mg/kg LD50 dermal Rabbit > 2000 mg/kg

---

## **SECTION 12: Ecological information**

### **Toxicity**

#### **Toxicity to fish**

static test LC50 - *Poecilia reticulata* (guppy) - > 1.000 mg/l - 96 h (OECD Test Guideline 203)

Remarks: (in analogy to similar products)

#### **Toxicity to daphnia and other aquatic invertebrates**

static test EC50 - *Daphnia magna* (Water flea) - 1.000 mg/l - 48 h (OECD Test Guideline 202)

#### **Toxicity to algae**

static test ErC50 - *Selenastrum capricornutum* (green algae) - 620 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: (in analogy to similar products)

#### **Toxicity to bacteria**

NOEC - activated sludge - 576 mg/l - 5 Days

Remarks: (ECHA)

### **Persistence and degradability**

Biodegradability aerobic - Exposure time 28 d

Result: 8 % - Not readily biodegradable. (OECD Test Guideline 301E)

Remarks: (in analogy to similar compounds)

### **Bioaccumulative potential**

Does not bioaccumulate.

### **Mobility in soil**

No data available

### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and  
Chemical Book



very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

Possible decomposition products in case of hydrolysis are:

Hydrogen chloride gas

Discharge into the environment must be avoided.

---

## SECTION 13: Disposal considerations

### Waste treatment methods

#### Product

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### Contaminated packaging

Dispose of as unused product.

---

## SECTION 14: Transport information

### UN number

ADR/RID: 2670 IMDG: 2670 IATA: 2670

### UN proper shipping name

ADR/RID: CYANURIC CHLORIDE IMDG: CYANURIC CHLORIDE

IATA: Cyanuric chloride

14.3	Transport hazard class(es)	
	ADR/RID: 8 IMDG: 8	IATA: 8
14.4	Packaging group	
	ADR/RID: II IMDG: II	IATA: II
14.5	Environmental hazards	
	ADR/RID: no IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for user	
	No data available	

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

Chemical Book

China Catalog of Hazardous chemicals 2015:Listed. website: <https://www.mem.gov.cn/>

#### **Measures for Environmental Management of New Chemical Substances**

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

---

## **SECTION 16: Other information**

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### **References**

【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### **Other Information**

The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered. Anyone who has shown symptoms of asthma due to this substance should avoid all further contact. The symptoms of asthma often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest

and medical observation are therefore essential. Reacts violently with fire extinguishing agents such as water.

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.