# Chemical Safety Data Sheet MSDS / SDS

# D-(+)-Maltose monohydrate

Revision Date:2024-11-23 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **Product identifier**

| Product name  | : D-(+)-Maltose monohydrate  |  |  |  |  |
|---|--|--|--|--|--|
| CBnumber  | : CB4442570  |  |  |  |  |
| CAS   | : 6363-53-7  |  |  |  |  |
| EINECS Number   | : 613-294-6  |  |  |  |  |
| Synonyms  | : maltose monohydrate,D-Maltose  |  |  |  |  |
| Relevant identified uses of the substance or mixture and uses advised against |  |  |  |  |  |
| Relevant identified uses  | : For R&D use only. Not for medicinal, household or other use.                       |  |  |  |  |
| Uses advised against  | : none   |  |  |  |  |
| Company Identification  |  |  |  |  |  |
| Company   | : Chemicalbook   |  |  |  |  |
| Address   | : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing |  |  |  |  |
| Telephone   | : 400-158-6606   |  |  |  |  |
|   |  |  |  |  |  |

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

| Signal word         | No signal word |
|---------------------|----------------|
| Hazard statement(s) |                |
| none                |                |
| Prevention          |                |
| none                |                |
| Response            |                |
| none                |                |
| Storage             |                |
| none                |                |
| Disposal            |                |
| none                |                |
|                     |                |

# SECTION 3: Composition/information on ingredients

# Substance

| Product name | : D-(+)-Maltose monohydrate     |
|--------------|---------------------------------|
| Synonyms     | : maltose monohydrate,D-Maltose |
| CAS          | : 6363-53-7                     |
| EC number    | : 613-294-6                     |
| MF           | : C12H24O12                     |
| MW           | : 360.31                        |
|              |                                 |

# SECTION 4: First aid measures

# Description of first aid measures

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### **Extinguishing media**

### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.


# Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

# **Further information**

#### Prevent fire extinguishing water from contaminating surface water or the ground water system.

# NFPA 704



|  |       | EALTH 1 Exposure would cause irritation with only minor residual injury (e.g. acetone, sodium bromate, potassium chloride) |  |
|--|-------|--|--|
|  | FIRE  | 1  | Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia) |
|  | REACT | 0  | Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)   |
|  | SPEC. |  |  |
|  | HAZ.  |  |  |

# SECTION 6: Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### **Environmental precautions**

Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# Precautions for safe handling

For precautions see section 2.2.

# Conditions for safe storage, including any incompatibilities

# Storage conditions

Tightly closed. Dry.

# Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

# **Exposure controls**

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril? L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril? L

#### **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other

accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

# SECTION 9: Physical and chemical properties

| Appearance                              | powder  |
|---|---|
| Odour                                   | No data available   |
| Odour Threshold                         | No data available d) pH 5,0 - 7 at 180 g/l at 25 °C Melting point/freezing point Initial boiling point and        |
|   | boiling range Melting point: 106,15 °C No data available Flash point No data available Evaporation                |
|   | rate No data available Flammability (solid, gas) Upper/lower flammability or explosive limits The                 |
|   | product is not flammable Flammability (solids) No data available Vapour pressure 0,0000188 hPa                    |
|   | at 20 °C - OECD Test Guideline 104 Vapour density No data available Density No data available                     |
|   | Relative density No data available Water solubility 180 g/l at 20 $^\circ\text{C}$ - completely soluble Partition |
|   | coefficient: n-octanol/water Autoignition temperature Decomposition temperature No data available                 |
|   | No data available No data available Viscosity Viscosity, kinematic: No data available Viscosity,                  |
|   | dynamic: No data available Explosive properties No data available Oxidizing properties No data                    |
|   | available   |
| Melting point/freezing point            | Melting point: 106,15 °C  |
| Initial boiling point and boiling range | 119-121 °C (dec.)(lit.)   |
| Flash point                             | No data available   |
| Evaporation rate                        | No data available   |
| Flammability (solid, gas)               | The product is not flammable Flammability (solids)  |
| Upper/lower flammability or explosive   | No data available   |
| limits                                  |   |
| Vapour pressure                         | 0,0000188 hPa at 20 °C - OECD Test Guideline 104  |
| Vapour density                          | No data available   |
| Relative density                        | No data available No data available   |
| Water solubility                        | 180 g/l at 20 °C - completely soluble   |
| Partition coefficient: n-octanol/water  | H <sub>2</sub> O: 50 mg/mL  |
| Autoignition temperature                | No data available   |
| Decomposition temperature               | No data available   |
| Viscosity                               | Viscosity, kinematic: No data available Viscosity, dynamic: No data available                                     |
| Explosive properties                    | No data available   |
| Oxidizing properties                    | No data available   |
| λmax                                    | λ: 260 nm Amax: 0.08  |
|   | λ: 280 nm Amax: 0.07  |

# Information on basic physicochemical properties

# Other safety information

No data available

# SECTION 10: Stability and reactivity

# Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust

explosion potential may generally be assumed.

#### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

# Conditions to avoid

no information available

#### Incompatible materials

No data available

#### Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 34.800 mg/kg

Remarks: (RTECS)

The value is given in analogy to the following substances: maltose Inhalation

Dermal

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

Carcinogenicity

No data available

**Reproductive toxicity** 

No data available

Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

# **SECTION 12: Ecological information**

# Toxicity

No data available

# Persistence and degradability

No data available

### **Bioaccumulative potential**

No data available

### Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Other adverse effects

Discharge into the environment must be avoided.

# SECTION 13: Disposal considerations

# Waste treatment methods

# Product

See www.retrologistik.com for processes regarding the return of chemicals and

containers, or contact us there if you have further questions.

### Incompatibilities

Maltose may react with oxidizing agents. A Maillard-type reaction may occur between maltose and compounds with a primary amine group, e.g. glycine, to form brown-colored products.

# **SECTION 14: Transport information**

# **UN number**

ADR/RID: - IMDG: - IATA: -

# UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

# Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

# **Packaging group**

ADR/RID: - IMDG: - IATA: -

# **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

# Special precautions for user

# **Further information**

Not classified as dangerous in the meaning of transport regulations.

# SECTION 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

EC Inventory:Not Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Not Listed. website: https://echa.europa.eu/

Korea Existing Chemicals List (KECL):Not Listed. website: http://ncis.nier.go.kr

United States Toxic Substances Control Act (TSCA) Inventory:Not Listed. website: https://www.epa.gov/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

# **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

**Disclaimer:** 

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.