

## Chemical Safety Data Sheet MSDS / SDS

## Diacetone Alcohol

Revision Date:2025-03-01 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Diacetone Alcohol  
CBnumber : CB9783177  
CAS : 123-42-2  
EINECS Number : 204-626-7  
Synonyms : Diacetone alcohol,DAA

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Warning

## Precautionary statements

P403+P235 Store in a well-ventilated place. Keep cool.

P370+P378 In case of fire: Use ... for extinction.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P240 Ground/bond container and receiving equipment.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

## Hazard statements

H319 Causes serious eye irritation

H303 May be harmful if swallowed

## SECTION 3: Composition/information on ingredients

### Substance

Product name	: Diacetone Alcohol
Synonyms	: Diacetone alcohol,DAA
CAS	: 123-42-2
EC number	: 204-626-7
MF	: C6H12O2
MW	: 116.16

---

## SECTION 4: First aid measures

### Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.


### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



**HEALTH** 1 Exposure would cause irritation with only minor residual injury (e.g. [acetone](#), sodium bromate, potassium chloride)

Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely

**FIRE** 2 divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, [sulfur](#))

**REACT** 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N<sub>2</sub>](#))

**SPEC.**

**HAZ.**

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### Environmental precautions

Do not let product enter drains. Risk of explosion.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb<sup>®</sup>). Dispose of properly. Clean up affected area.

### Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### Exposure controls

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested: Butoject? (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact Material: Chloroprene

Minimum layer thickness: 0,65 mm Break through time: 240 min Material tested:KCL 720 Camapren?

#### Body Protection

Flame retardant antistatic protective clothing.

#### Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

#### Exposure limits

TLV-TWA 240 mg/m<sup>3</sup> (50 ppm) (ACGIH); IDLH 2100 ppm (NIOSH).

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	light yellow clear, liquid
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point: -44 °C
Initial boiling point and boiling range	166 °C - lit.
Flash point	58 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 6,9 %(V) Lower explosion limit: 1,8 %(V)
Vapour pressure	<1 mm Hg ( 20 °C)
Vapour density	4,01 - (Air = 1.0)
Relative density	No data available
Water solubility	Soluble in alcohol, ether (Weast, 1986), and many other solvents, particular ketones such as acetone and 2-butanone.
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available
$\lambda_{max}$	249nm(lit.)

### Other safety information

Relative vapor density

## SECTION 10: Stability and reactivity

### Reactivity

Vapor/air-mixtures are explosive at intense warming.

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

No data available

### Conditions to avoid

Heating.

### Incompatible materials

various plastics, Strong oxidizing agents

### Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 3.002 mg/kg

(OECD Test Guideline 401)

Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

Symptoms: mucosal irritations

LD50 Dermal - Rabbit - 13.630 mg/kg Remarks: (IUCLID)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h (OECD Test Guideline 404) Remarks: (IUCLID)

Drying-out effect resulting in rough and chapped skin. Dermatitis

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes. (OECD Test Guideline 405) Remarks: (IUCLID)

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Respiratory or skin sensitization

(OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473

Result: negative

#### **Carcinogenicity**

No data available

#### **Reproductive toxicity**

Suspected of damaging the unborn child. Suspected of damaging fertility.

#### **Specific target organ toxicity - single exposure**

May cause respiratory irritation. - Respiratory Tract

#### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

#### **Toxicity**

LD50 orally in rats: 4.0 g/kg (Smyth)

---

## SECTION 12: Ecological information

### **Toxicity**

#### **Toxicity to fish**

semi-static test LC50 - Oryzias latipes (Orange-red killifish) - > 100 mg/l - 96 h

(OECD Test Guideline 203)

#### **Toxicity to daphnia and other aquatic invertebrates**

semi-static test EC50 - Daphnia magna (Water flea) - > 1.000 mg/l

- 48 h

(OECD Test Guideline 202)

semi-static test NOEC - Daphnia magna (Water flea) - > 1.000 mg/l

- 48 h

(OECD Test Guideline 202)

#### **Toxicity to algae**

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - >

1.000 mg/l - 72 h

(OECD Test Guideline 201)

static test NOEC - Pseudokirchneriella subcapitata (green algae) - >=

1.000 mg/l - 72 h

(OECD Test Guideline 201)

**Toxicity to bacteria**

static test EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)

**Persistence and degradability**

Biodegradability aerobic - Exposure time 28 d

Result: 98,51 % - Readily biodegradable. (OECD Test Guideline 301A)

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Toxics Screening Level**

The final Initial Threshold Screening Level (ITSL) for diacetone alcohol is 2375 µg/m<sup>3</sup> based on an 8-hour averaging time.

**Other adverse effects**

No data available

---

## SECTION 13: Disposal considerations

**Waste treatment methods****Product**

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

**Incompatibilities**

Vapor may form explosive mixture with air. Incompatible with oxidizers (chlorates, nitrates, peroxides, permanganates, perchlorates, chlorine, bromine, fluorine, etc.); contact may cause fires or explosions. Keep away from alkaline materials, strong bases, strong acids, oxoacids, and epoxides.

**Waste Disposal**

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. All federal, state, and local environmental regulations must be observed.

---

## SECTION 14: Transport information

**UN number**

ADR/RID: IMDG: 1148 IATA: 1148

**UN proper shipping name**



ADR/RID:

IMDG: DIACETONE ALCOHOL

IATA: Diacetone alcohol

### **Transport hazard class(es)**

ADR/RID: IMDG: 3 IATA: 3

### **Packaging group**

ADR/RID: IMDG: III IATA: III

### **Environmental hazards**

ADR/RID: IMDG Marine pollutant: no IATA: no

### **Special precautions for user**

No data available

---

## SECTION 15: Regulatory information

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Listed. website: <https://www.mem.gov.cn/>

#### **Measures for Environmental Management of New Chemical Substances**

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

EC Inventory:Listed.

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

---

## SECTION 16: Other information

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

## References

- 【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- 【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- 【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>
- 【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- 【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- 【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- 【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- 【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- 【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- 【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

## Other Information

This card is only valid for the pure substance. The technical product may contain up to 5% acetone (see ICSC 0087), resulting in high flammability. Other UN Classification for technical product: UN hazard class 3, UN pack group II.

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.