Chemical Safety Data Sheet MSDS / SDS

Dinonyl phthalate

Revision Date:2024-12-21 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: Dinonyl phthalate			
CBnumber	: CB4481858			
CAS	: 84-76-4			
EINECS Number	: 201-560-0			
Synonyms	: dinonyl phthalate,di-n-nonyl phthalate			
Relevant identified uses of the substance or mixture and uses advised against				
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.			
Uses advised against	: none			
Company Identification				
Company	: Chemicalbook			
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing			
Telephone	: 400-158-6606			

SECTION 2: Hazards identification

Classification of the substance or mixture

Not classified.

Label elements	
Pictogram(s)	
Signal word	No signal word
Hazard statement(s)	
none	
Precautionary statement(s)	
Prevention	
none	
Response	
none	
Storage	
none	
Disposal	

1

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

Product name	: Dinonyl phthalate
Synonyms	: dinonyl phthalate, di-n-nonyl phthalate
CAS	: 84-76-4
EC number	: 201-560-0
MF	: C26H42O4
MW	: 418.61

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately.

Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

Moderately toxic by ingestion. (USCG, 1999)

Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

Extinguishing media

Fire Extinguishing Agents Not to Be Used: Water may be ineffective. Fire Extinguishing Agents: Alcohol foam, dry chemical, carbon dioxide. (USCG, 1999)


Specific Hazards Arising from the Chemical

no data available

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use sparkproof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

Component	Dinonyl phthalate				
CAS No.	84-76-4				
	Limit value - Eight hours		Limit value - Short term		
	ppm	mg/m ³	ppm	mg/m ³	
Austria	?	5	?	?	
Ireland	?	5	?	?	
Latvia	?	1	?	?	
New Zealand	?	5	?	?	
United Kingdom	?	5	?	?	
	Remarks				

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

Individual protection measures

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The

selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state

Oily Liquid

Clear yellow-brown

Colour

Odour	no data available	
Melting point/freezing point	-106°C(lit.)	
Boiling point or initial boiling point and	245°C/5mmHg(lit.)	
boiling range		
Flammability	no data available	
Lower and upper explosion	no data available	
limit/flammability limit		
Flash point	220°C(lit.)	
Auto-ignition temperature	no data available	
Decomposition temperature	no data available	
рН	no data available	
Kinematic viscosity	112 cP at 20 deg C	
Solubility	In water, 1.73X10-5 mg/L at 25 deg C (est)	
Partition coefficient n-octanol/water	log Kow = 9.52 (est)	
Vapour pressure	5.14X10-7 mm Hg at 25 deg C (est)	
Density and/or relative density	0.97	
Relative vapour density	no data available	
Particle characteristics	no data available	

SECTION 10: Stability and reactivity

Reactivity

Flammable. Hydrolyzed by strong mineral acids and strong alkalis.

Chemical stability

no data available

Possibility of hazardous reactions

CombustibleDINONYL PHTHALATE is an ester. Esters react with acids to liberate heat along with alcohols and acids. Strong oxidizing acids may cause a vigorous reaction that is sufficiently exothermic to ignite the reaction products. Heat is also generated by the interaction of esters with caustic solutions. Flammable hydrogen is generated by mixing esters with alkali metals and hydrides. Can generate electrostatic charges [Handling Chemicals Safely, 1980. p. 250].

Conditions to avoid

no data available

Incompatible materials

no data available

Hazardous decomposition products

When heated to decomp it emits acrid smoke and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Rat oral 2.00 g/kg From table
- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available Toxicity to daphnia and other aquatic invertebrates: no data available Toxicity to algae: no data available Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: Dinonyl phthalate, added to a semi-continuous activated sludge apparatus at 5, 10, and 20 mg added per 24 hr, underwent 52%,

48%, and 54% degradation, respectively, under aerobic conditions(1,2). When dinonyl phthalate was incubated with pure cultures of Pseudomonas acidovorans under aerobic conditions, the initial degradation products were phthalic acid and nonyl alcohol(3). Di(heptyl,nonyl,undecyl) phthalate had a half-life of 6 to 8 days in river die-away tests(4). In active microcosms containing lake water and sediment, 40 to 48% of (14)C-di(heptyl,nonyl,undecyl)phthalate radioactivity was evolved as carbon dioxide over a 41 day period; after six weeks no residual (14)C-di(heptyl,nonyl,undecyl) phthalate was found in the water column and only 2 to 6% was associated with sediments(4). In semi-continuous activated sludge tests, a primary degradation half-life of <1 day at an addition rate of 5 to 200 mg/L per 24-hour cycle was observed for di(heptyl,nonyl,undecyl) phthalate(4). In shake flask studies using an acclimated bacterial inoculum, an ultimate biodegradation half-life of 5 days was observed for di(heptyl,nonyl,undecyl) phthalate at an initial concentration of 20 mg/L(4). 98% Biodegradation of di(heptyl,nonyl,undecyl) phthalate was observed over a period of 28 days in shake flask tests using an acclimated inoculum consisting of soil and sewage microorganisms(5).

Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for dinonyl phthalate(SRC), using an estimated log Kow of 9.52(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of dinonyl phthalate can be estimated to be 6.6X10+5(SRC). According to a classification scheme(2), this estimated Koc value suggests that dinonyl phthalate is expected to be immobile in soil. In sterile microcosms containing lake water and sediment, approximately 80% of di(heptyl,nonyl,undecyl) phthalate partitioned to sediment(3).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sever systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN3295 (For reference only, please check.) IMDG: UN3295 (For reference only, please check.) IATA: UN3295 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: HYDROCARBONS, LIQUID, N.O.S. (For reference only, please check.) IMDG: HYDROCARBONS, LIQUID, N.O.S. (For reference only, please check.) IATA: HYDROCARBONS, LIQUID, N.O.S. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.) IMDG: 3 (For reference only, please check.) IATA: 3 (For reference only, please check.)

Packing group, if applicable

ADR/RID: I (For reference only, please check.) IMDG: I (For reference only, please check.) IATA: I (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS) Listed. **EC Inventory** Listed. United States Toxic Substances Control Act (TSCA) Inventory Listed. China Catalog of Hazardous chemicals 2015 Not Listed. New Zealand Inventory of Chemicals (NZIoC) Listed. PICCS Not Listed. **Vietnam National Chemical Inventory** Listed. IECSC Chemical Book

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?

pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.