# Chemical Safety Data Sheet MSDS / SDS

## **DL-1-Phenethylalcohol**

Revision Date:2025-01-25 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **Product identifier**

| Product name  | : DL-1-Phenethylalcohol  |  |  |  |
|---|--|--|--|--|
| CBnumber  | : CB4204600  |  |  |  |
| CAS   | : 98-85-1  |  |  |  |
| EINECS Number   | : 202-707-1  |  |  |  |
| Synonyms  | : 1-phenylethanol, Benzenemethanol, .alphamethyl-                                    |  |  |  |
| Relevant identified uses of the substance or mixture and uses advised against |  |  |  |  |
| Relevant identified uses  | : For R&D use only. Not for medicinal, household or other use.                       |  |  |  |
| Uses advised against  | : none   |  |  |  |
| Company Identification  |  |  |  |  |
| Company   | : Chemicalbook   |  |  |  |
| Address   | : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing |  |  |  |
| Telephone   | : 400-158-6606   |  |  |  |

### SECTION 2: Hazards identification

### GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word

Warning

Precautionary statements

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

### Hazard statements

H335 May cause respiratory irritation

H319 Causes serious eye irritation

H318 Causes serious eye damage

H315 Causes skin irritation

H302 Harmful if swallowed

1

# SECTION 3: Composition/information on ingredients

### Substance

| Product name | : DL-1-Phenethylalcohol                          |
|--------------|--|
| Synonyms     | : 1-phenylethanol,Benzenemethanol, .alphamethyl- |
| CAS          | : 98-85-1  |
| EC number    | : 202-707-1                                      |
| MF           | : C8H10O   |
| MW           | : 122.16   |
|              |  |

### SECTION 4: First aid measures

### Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

### lf inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### **Extinguishing media**

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Unsuitable extinguishing media

Do NOT use water jet.

### Special hazards arising from the substance or mixture

Carbon oxides Combustible.


### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### **Further information**

Use water spray to cool unopened containers.

### **NFPA 704**



### SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

### Reference to other sections

For disposal see section 13.

### SECTION 7: Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

### control parameter

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### **Exposure controls**

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as

### NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min

Material tested:Butoject? (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 30 min

Material tested:Camatril? (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific

situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection** 

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

| Appearance                              | colourless clear, liquid   |
|---|--|
| Odour                                   | No data available  |
| Odour Threshold                         | No data available d) pH 4,44 at 24,36 °C acidic Melting point/freezing point Initial boiling point and       |
|   | boiling range Melting point/range: 19 - 20 °C - lit. 204 °C at 993 hPa - lit. Flash point 86,6 °C - closed   |
|   | cup - ISO 2719 Evaporation rate No data available Flammability (solid, gas) Upper/lower flammability         |
|   | or explosive limits No data available No data available Vapour pressure 0,13332 hPa at 20 $^\circ\mathrm{C}$ |
|   | Vapour density 4,22 - (Air = 1.0) Relative density 1,012 g/cm3 at 25 °C Water solubility 3.717,5 g/l at      |
|   | 25 °C - OECD Test Guideline 105 - soluble Partition coefficient: n-octanol/water Autoignition                |
|   | temperature Decomposition temperature log Pow: 6,2 at 25 °C - Potential bioaccumulation not auto-            |
|   | flammable No data available Viscosity 31,86 mm2/s at 20 °C - OECD Test Guideline 114 - Explosive             |
|   | properties No data available Oxidizing properties Oxidizing properties (liquids)                             |
| Melting point/freezing point            | Melting point/range: 19 - 20 °C - lit.   |
| Initial boiling point and boiling range | 204 °C at 993 hPa - lit.   |
| Flash point                             | 86,6 °C - closed cup - ISO 2719  |
| Evaporation rate                        | 185 °F   |
| Flammability (solid, gas)               | No data available  |
| Upper/lower flammability or explosive   | No data available  |
| limits                                  |  |
| Vapour pressure                         | 0,13332 hPa at 20 °C   |
| Vapour density                          | 4,22 - (Air = 1.0)   |
| Relative density                        | 1,012 g/cm3 at 25 °C   |
| Water solubility                        | 3.717,5 g/l at 25 °C - OECD Test Guideline 105 - soluble   |
| Partition coefficient: n-octanol/water  | log Pow: 6,2 at 25 °C - Potential bioaccumulation  |
| Autoignition temperature                | not auto-flammable   |
| Decomposition temperature               | No data available  |
| Viscosity                               | 31,86 mm2/s at 20 °C - OECD Test Guideline 114 -   |
| Explosive properties                    | No data available  |
| Oxidizing properties                    | Oxidizing properties (liquids)   |

### Other safety information

Solubility in other solvents Relative vapour density Methanol 1.000 g/l at 32 °C - soluble 4,22 - (Air = 1.0)

### SECTION 10: Stability and reactivity

### Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions. Stable under recommended storage conditions.

#### Possibility of hazardous reactions

No data available

### Conditions to avoid

Heat, flames and sparks.

### Incompatible materials

Strong acids, Strong oxidizing agents

#### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

### SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - 500 mg/kg (OECD Test Guideline 423) LD50 Dermal - Rabbit - female - > 2.000 mg/kg (OECD Test Guideline 402) **Skin corrosion/irritation** Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) **Serious eye damage/eye irritation** Eyes - Rabbit Result: Irritating to eyes. - 24 h (OECD Test Guideline 405)

### Respiratory or skin sensitisation

Draize Test - Guinea pig

| Result: negative Remarks: (ECHA)   |
|--|
| Germ cell mutagenicity   |
| reverse mutation assay   |
| S. typhimurium Result: negative  |
| OECD Test Guideline 474 Mouse - male - Bone marrow Result: negative  |
| Carcinogenicity  |
| This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. |
| IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human        |
| carcinogen by IARC.  |
| Reproductive toxicity  |
| No data available  |
| Specific target organ toxicity - single exposure   |
| No data available  |
| Specific target organ toxicity - repeated exposure   |
| No data available  |
| Aspiration hazard  |
| No data available  |
| Additional Information   |
| Repeated dose toxicity - Mouse - male and female - Oral - 16 d - No observed adverse effect level - 500 mg/kg                                    |
| (ECHA)   |
| RTECS: Not available   |
| Cough, Shortness of breath, Headache, Nausea, Vomiting   |
| To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.                        |
|  |

# SECTION 12: Ecological information

### Toxicity

### Toxicity to fish

static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h (OECD Test Guideline 203)

### Toxicity to algae

static test ErC50 - Chlorella vulgaris (Fresh water algae) - > 200 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

### Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 100 % - Readily biodegradable.

### **Bioaccumulative potential**

### Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and

very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

### SECTION 13: Disposal considerations

### Waste treatment methods

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

### Contaminated packaging

Dispose of as unused product.

### SECTION 14: Transport information

### **UN number**

ADR/RID: 2937 IMDG: 2937 IATA: 2937

### UN proper shipping name

|                                   | ADR/RID: alpha-METHYLBENZYL ALCOHOL, LIQUID IMDG: alpha-METHYLBENZYL ALCOHOL<br>LIQUID | -,           |
|-----------------------------------|--|--------------|
| IATA: alpha-Methylbenzyl alcohol, |  |              |
| liquid                            |  |              |
| 14.3                              | Transport hazard class(es)<br>ADR/RID: 6.1 IMDG: 6.1                                   | IATA:<br>6.1 |
| 14.4                              | Packaging group  |              |
|                                   | Adr/Rid: III IMDG: III   | IATA: III    |
| 14.5                              | Environmental hazards  |              |
|                                   | ADR/RID: no IMDG Marine pollutant: no  | IATA: no     |
| 14.6                              | Special precautions for user   |              |
|                                   | No data available  |              |

# SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/ EC Inventory:Listed.

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- CAS: Chemical Abstracts Service
- EC50: Effective Concentration 50%
- IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

- STEL: Short term exposure limit
- TWA: Time Weighted Average

### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### **Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.