# Chemical Safety Data Sheet MSDS / SDS

# **DL-Lactic acid**

Revision Date: 2024-12-21 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : DL-Lactic acid
CBnumber : CB1193448
CAS : 598-82-3
EINECS Number : 209-954-4

Synonyms : DL-Lactic Acid,2-hydroxypropionic acid

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

# **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

# **SECTION 2: Hazards identification**

### Classification of the substance or mixture

Skin irritation, Category 2

Serious eye damage, Category 1

# Label elements

#### Pictogram(s)

Signal word Danger

# Hazard statement(s)

H315 Causes skin irritation

H318 Causes serious eye damage

# Precautionary statement(s)

#### Prevention

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

#### Response

P302+P352 IF ON SKIN: Wash with plenty of water/...

P321 Specific treatment (see ... on this label).

P332+P317 If skin irritation occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P317 Get medical help.

Storage

none

Disposal

none

#### Other hazards

no data available

# SECTION 3: Composition/information on ingredients

#### **Substance**

Product name : DL-Lactic acid

Synonyms : DL-Lactic Acid,2-hydroxypropionic acid

CAS : 598-82-3
EC number : 209-954-4
MF : C3H6O3
MW : 90.08

# SECTION 4: First aid measures

### Description of first aid measures

# If inhaled

Fresh air, rest. Refer for medical attention.

# Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

# Following ingestion

Rinse mouth. Do NOT induce vomiting. Give nothing to drink. Refer for medical attention .

#### Most important symptoms and effects, both acute and delayed

Inhalation of mist causes coughing and irritation of mucous membranes. Ingestion, even of diluted preparations, has a corrosive effect on the esophagus and stomach. Contact with more concentrated solutions can cause severe burns of skin or eye. (USCG, 1999)

# Indication of any immediate medical attention and special treatment needed

Immediate First Aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention.

# **SECTION 5: Firefighting measures**

### **Extinguishing media**

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### **Specific Hazards Arising from the Chemical**

Excerpt from ERG Guide 153 [Substances - Toxic and/or Corrosive (Combustible)]: Combustible material: may burn but does not ignite readily. When heated, vapors may form explosive mixtures with air: indoors, outdoors and sewers explosion hazards. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated. Runoff may pollute waterways. Substance may be transported in a molten form. (ERG, 2016)

# Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# SECTION 6: Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

# **Environmental precautions**

Collect leaking and spilled liquid in sealable containers as far as possible. Cautiously neutralize spilled liquid with weak alkaline solution such as disodium carbonate. Then wash away with plenty of water.

# Methods and materials for containment and cleaning up

ACCIDENTAL RELEASE MEASURES: Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas; Environmental precautions: Do not let product enter drains; Methods and materials for containment and cleaning up: Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

# SECTION 7: Handling and storage

#### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

#### Conditions for safe storage, including any incompatibilities

Separated from strong bases. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Hygroscopic.

# SECTION 8: Exposure controls/personal protection

### **Control parameters**

#### Occupational Exposure limit values

no data available

#### **Biological limit values**

no data available

#### **Exposure controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

#### Individual protection measures

#### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

# Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

#### Thermal hazards

no data available

Dhusiaal stata

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Physical state	syrup
Colour	Colourless
Odour	Odorless
Melting point/freezing point	18°C
Boiling point or initial boiling point and	122°C (15 mmHg)
boiling range	
Flammability	Combustible.
Lower and upper explosion	no data available
limit/flammability limit	
Flash point	109.9°C

Auto-ignition temperature	no data available
Decomposition temperature	no data available
рН	The pH of a 10 wt% aqueous solution of lactic acid is 1.75
Kinematic viscosity	Viscosities of aqueous lactic acid at 25 deg C: 1.042 mPa s (6.29 wt%), 1.752 mPa s (25.02 wt%),
	4.68 mPa s (54.94 wt%), 36.9 mPa s (88.60 wt%)
Solubility	Aqueous Base (Slightly), Methanol (Slightly), Water
Partition coefficient n-octanol/water	no data available
Vapour pressure	0.0813 mm Hg at 25 deg C
Density and/or relative density	1.209
Relative vapour density	no data available
Particle characteristics	no data available

# SECTION 10: Stability and reactivity

#### Reactivity

The substance is a medium strong acid.

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

LACTIC ACID is a carboxylic acid. Carboxylic acids donate hydrogen ions if a base is present to accept them. They react in this way with all bases, both organic (for example, the amines) and inorganic. Their reactions with bases, called "neutralizations", are accompanied by the evolution of substantial amounts of heat. Neutralization between an acid and a base produces water plus a salt. Carboxylic acids with six or fewer carbon atoms are freely or moderately soluble in water; those with more than six carbons are slightly soluble in water. Soluble carboxylic acid dissociate to an extent in water to yield hydrogen ions. The pH of solutions of carboxylic acids is therefore less than 7.0. Many insoluble carboxylic acids react rapidly with aqueous solutions containing a chemical base and dissolve as the neutralization generates a soluble salt. Carboxylic acids in aqueous solution and liquid or molten carboxylic acids can react with active metals to form gaseous hydrogen and a metal salt. Such reactions occur in principle for solid carboxylic acids as well, but are slow if the solid acid remains dry. Even "insoluble" carboxylic acids may absorb enough water from the air and dissolve sufficiently in it to corrode or dissolve iron, steel, and aluminum parts and containers. Carboxylic acids, like other acids, react with cyanide salts to generate gaseous hydrogen cyanide. The reaction is slower for dry, solid carboxylic acids. Insoluble carboxylic acids react with solutions of cyanides to cause the release of gaseous hydrogen cyanide. Flammable and/or toxic gases and heat are generated by the reaction of carboxylic acids with diazo compounds, dithiocarbamates, isocyanates, mercaptans, nitrides, and sulfides. Carboxylic acids, especially in aqueous solution, also react with sulfites, nitrites, thiosulfates (to give H2S and SO3), dithionites (SO2), to generate flammable and/or toxic gases and heat. Their reaction with carbonates and bicarbonates generates a harmless gas (carbon dioxide) but still heat. Like other organic compounds, carboxylic acids can be oxidized by strong oxidizing agents and reduced by strong reducing agents. These reactions generate heat. A wide variety of products is possible. Like other acids, carboxylic acids may initiate polymerization reactions; like other acids, they often catalyze (increase the rate of) chemical reactions. Slowly corrodes most metals (USCG, 1999).

#### Conditions to avoid

no data available

# Incompatible materials

Incompatible materials: Bases, Oxidizing agents, Reducing agents

# Hazardous decomposition products

When heated to decompositionit emits acrid smoke and irritating fumes.

# **SECTION 11: Toxicological information**

# **Acute toxicity**

• Oral: LD50 Rat oral 3730 mg/kg

• Inhalation: LC50 Rat inhalation 7.94 mg/L/4 hr

• Dermal: no data available

#### Skin corrosion/irritation

no data available

# Serious eye damage/irritation

no data available

# Respiratory or skin sensitization

no data available

# Germ cell mutagenicity

no data available

# Carcinogenicity

no data available

# Reproductive toxicity

no data available

# STOT-single exposure

no data available

# STOT-repeated exposure

no data available

# **Aspiration hazard**

no data available

# **SECTION 12: Ecological information**

# **Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: Lactic acid reached 22% of its theoretical BOD in 5 days using a sewage inoculum(1). In a closed bottle screening test, lactic acid,

present at 2 mg/L, reached 12, 67, and 88% of its theoretical BOD after 5, 15, and 30 days, respectively, using an activated sludge

inoculum(2). Lactic acid reached 59% of its theoretical BOD in 5 days using a sludge inoculum and the Warburg screening test(3). Lactic acid,

present at 500 mg/L, reached 27.5, 29.4, and 33.3% of its theoretical BOD in 6, 12, and 24 hours, respectively, using an activated sludge

inoculum at 2500 mg/L(4). Lactic acid was found to be easily biodegradable by biological sewage treatment(5). Lactic acid, present at 100

mg/L, reached 76% of its theoretical BOD in 2 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MITI test which classified

the compound as readily biodegradable(6).

Bioaccumulative potential

An estimated BCF of 3 was calculated for lactic acid(SRC), using a log Kow of -0.72(1) and a regression-derived equation(2). According to a

classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

Mobility in soil

Experimental Koc values for lactic acid on a clastic mud (3.5% organic carbon) and a lateritic muddy sand (1.3% organic carbon) were 5.7 and

<0.08, respectively(1). Utilizing an HPLC method, the Koc of lactic acid (93% aqueous solution) on soil and sewage sludge at neutral pH and

pH 2 was <20.9(2). According to a classification scheme(3), these Koc values suggest that lactic acid is expected to have very high mobility in

soil. The pKa of lactic acid is 3.86(4), indicating that this compound will exist partially to almost entirely in anion form in the environment and

anions generally do not adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(5).

Other adverse effects

no data available

**SECTION 13: Disposal considerations** 

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do

not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to

make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible

for combustible packaging materials.

**SECTION 14: Transport information** 

**UN Number** 

ADR/RID: UN1760 (For reference only, please check.)

IMDG: UN1760 (For reference only, please check.)

IATA: UN1760 (For reference only, please check.)

### **UN Proper Shipping Name**

ADR/RID: CORROSIVE LIQUID, N.O.S. (For reference only, please check.)

IMDG: CORROSIVE LIQUID, N.O.S. (For reference only, please check.)

IATA: CORROSIVE LIQUID, N.O.S. (For reference only, please check.)

# Transport hazard class(es)

ADR/RID: 8 (For reference only, please check.)

IMDG: 8 (For reference only, please check.)

IATA: 8 (For reference only, please check.)

#### Packing group, if applicable

ADR/RID: I (For reference only, please check.)

IMDG: I (For reference only, please check.)

IATA: I (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: No

IMDG: No

IATA: No

# Special precautions for user

no data available

# Transport in bulk according to IMO instruments

no data available

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

**EC Inventory** 

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Not Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Not Listed.

**PICCS** 

Not Listed.

Vietnam National Chemical Inventory

Listed.

**IECSC** 

Listed.

Korea Existing Chemicals List (KECL)

Listed

# SECTION 16: Other information

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.