

## Chemical Safety Data Sheet MSDS / SDS

## Methotrexate

Revision Date:2024-12-21 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Methotrexate  
CBnumber : CB2739302  
CAS : 59-05-2  
EINECS Number : 200-413-8  
Synonyms : Methotrexate,Methanol-d4

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

## Classification of the substance or mixture

Acute toxicity - Category 3, Oral  
Skin irritation, Category 2  
Eye irritation, Category 2  
Reproductive toxicity, Category 1B

## Label elements

## Pictogram(s)



Signal word : Danger

## Hazard statement(s)

H225 Highly Flammable liquid and vapour  
H301 Toxic if swallowed  
H315 Causes skin irritation  
H319 Causes serious eye irritation  
H340 May cause genetic defects

H360 May damage fertility or the unborn child

H370 Causes damage to organs

#### **Precautionary statement(s)**

P201 Obtain special instructions before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### **Prevention**

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P203 Obtain, read and follow all safety instructions before use.

#### **Response**

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P332+P317 If skin irritation occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P318 IF exposed or concerned, get medical advice.

#### **Storage**

P405 Store locked up.

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards**

no data available

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Methotrexate
Synonyms	: Methotrexate, Methanol-d4
CAS	: 59-05-2
EC number	: 200-413-8

MF : C20H22N8O5  
MW : 454.45

---

## SECTION 4: First aid measures

### Description of first aid measures

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### Most important symptoms and effects, both acute and delayed

SYMPTOMS: Symptoms of exposure to this compound include renal damage, leukopenia, headache, drowsiness, blurred vision, aphasia and hemiparesis. In addition, it causes developmental abnormalities of the craniofacial area and the musculoskeletal system, carcinogenic effects, leukemia, lymphoma effects including Hodgkin's disease, thrombocytopenia, bone marrow changes, other blood changes, cerebral spinal fluid effects, eye effects, blood pressure lowering, cough, dyspnea, fibrosis (pneumoconiosis), cyanosis, gastrointestinal effects, fatty liver degeneration and other liver changes, hepatitis, impaired liver function tests, skin tumors, fever, effects on inflammation or mediation of inflammation. Other symptoms include hemorrhagic enteritis, dermatitis, interstitial pneumonitis, neurotoxicity, nephrotoxicity, defective oogenesis or spermatogenesis, teratogenesis, hepatic dysfunction, progressive weight loss, depression, swelling and cytoplasmic vacuolization of the mucosal cells of the intestinal epithelium, desquamation of epithelial cells, extrusion of plasma into the lumen of the bowel, leukocytic infiltration of the submucosa, disturbance in the maturation of erythrocytes, rapid pathological alteration in myelopoiesis, diminution in content of lymphoid cells in lymphatic tissue and interference with embryogenesis. Interference with cellular reproduction, embryotoxicity, abortion, fetal defects, fertility impairment, menstrual dysfunction, hematopoiesis suppression, acute and chronic hepatotoxicity, nonspecific pneumonitis, chemical arachnoiditis manifested by headache, back pain and nuchal rigidity, paresis manifested by paraplegia, leukoencephalopathy manifested by confusion, irritability, somnolence, ataxia, dementia and convulsions, ulcerative stomatitis, nausea, alopecia, ecchymosis, telangiectasia, acne, furunculosis, vomiting, diarrhea, gastrointestinal ulceration and bleeding, azotemia, cystitis, hematuria, vaginal discharge, arthralgia, myalgia, metabolic changes, precipitating diabetes, osteoporotic effects, abdominal distress, malaise, undue fatigue, chills, dizziness, reduce resistance to infection, erythematous rash, pruritus, urticaria, gingivitis, photosensitivity, pigmentary changes, pharyngitis, anorexia, hematemesis, melena, transient oligospermia and sudden death may also result. In children it can cause pulmonary tract damage by ingestion, and blood dyscrasia intravenously. It may also cause lung changes, uro-genital toxicity and conjunctivitis. It may also cause septicemia and bleeding from various sites, mucositis, cerebral and cerebellar calcification, bone pain, fractures, aseptic necrosis of the head of the femur and shortness of breath. Granulocytopenia, hypoplasia of all elements of bone marrow and anemia may also occur. It may cause congenital malformation in the fetus and alter genetic material. Ulceration of the mouth, megaloblastic anemia, hypogammaglobulinemia, kidney damage, pulmonary reactions, progressive intellectual impairment, coma and pyrexia may also occur. ACUTE/CHRONIC HAZARDS: This compound can cause eye irritation. It may be absorbed through the skin and may be fatal if inhaled, swallowed or absorbed through the skin. It is readily absorbed through the gastrointestinal tract. When heated to decomposition it emits toxic fumes of carbon monoxide, carbon dioxide and nitrogen oxides. (NTP, 1992)

### **Indication of any immediate medical attention and special treatment needed**

Leucovorin is indicated to diminish the toxicity and counteract the effect of inadvertently administered overdoses of methotrexate.

Leucovorin administration should begin as promptly as possible. As the time interval between methotrexate administration and leucovorin initiation increases, the effectiveness of leucovorin in counteracting toxicity decreases. Monitoring of the serum methotrexate concentration is essential in determining the optimal dose and duration of treatment with leucovorin.

---

## **SECTION 5: Firefighting measures**

### **Extinguishing media**

Fires involving this material can be controlled using a dry chemical, carbon dioxide or Halon extinguisher. A water spray may also be used. (NTP, 1992)

### **Specific Hazards Arising from the Chemical**

Flash point data for this chemical are not available; however, it is probably combustible. (NTP, 1992)

### **Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

---

## **SECTION 6: Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### **Methods and materials for containment and cleaning up**

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

---

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **Conditions for safe storage, including any incompatibilities**

Methotrexate sodium tablets should be protected from light and stored in well-closed containers at 15-30 deg C. Methotrexate sodium injection

and powder for injection should be protected from light and stored at 15-30 deg C. Methotrexate sodium

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure limit values

no data available

#### Biological limit values

no data available

### Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures

#### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### Skin protection

Wear fire/flamm resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

#### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical state	powder
Colour	Orange-brown, crystalline powder
Odour	no data available
Melting point/freezing point	3°C(lit.)
Boiling point or initial boiling point and boiling range	170°C(lit.)
Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	43°C(lit.)
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available

Solubility	H <sub>2</sub> O: insoluble
Partition coefficient n-octanol/water	no data available
Vapour pressure	2.1X10 <sup>-19</sup> mm Hg at 25 deg C /Estimated/
Density and/or relative density	1.536 g/cm <sup>3</sup>
Relative vapour density	no data available
Particle characteristics	no data available

## SECTION 10: Stability and reactivity

### Reactivity

This chemical is sensitive to hydrolysis, oxidation and light. Insoluble in water.

### Chemical stability

no data available

### Possibility of hazardous reactions

METHOTREXATE decomposes in very acidic or alkaline conditions. This chemical is incompatible with strong oxidizing agents and strong acids. (NTP, 1992)

### Conditions to avoid

no data available

### Incompatible materials

no data available

### Hazardous decomposition products

When heated to decomposition it emits toxic fumes including /nitrogen oxides/.

## SECTION 11: Toxicological information

### Acute toxicity

- Oral: LD50 Rat oral 180 +/- 45 mg/kg body weight
- Inhalation: no data available
- Dermal: no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### **Germ cell mutagenicity**

no data available

### **Carcinogenicity**

Classification of carcinogenicity: 1) evidence in humans: Inadequate data; 2) evidence in animals: Inadequate data. Overall summary evaluation of carcinogenic risk to humans is Group 3: The agent is not classifiable as to its carcinogenicity to humans. From table

### **Reproductive toxicity**

no data available

### **STOT-single exposure**

no data available

### **STOT-repeated exposure**

no data available

### **Aspiration hazard**

no data available

---

## **SECTION 12: Ecological information**

### **Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### **Persistence and degradability**

AEROBIC: An OECD confirmatory test was carried out in a laboratory-scale treatment plant, using a sludge inoculum from the municipal sewage plant in Bochum-Olbachtal, Germany(1). The test was run for 10 days, flow rate of 1 L/hr, and a retention time of 3 hrs. Methotrexate, at concentrations of 10 and 20 mg/L, at both concns, the compound reached a rate of 95% biodegradation after approximately 8 days, with a maximum rate of 98% biodegradation measured at 10 days; however, the biodegradation process resulted in the formation of 7-hydroxymethotrexate which is toxic and persistent(1). When presented as a mixture including cyclophosphamide (150 mg/L), cytarabine (12.5 mg/L), and 5-fluorouracil (5.0 mg/L), methotrexate (4.0 mg/L) exhibited a similar biodegradation rate(1).

### **Bioaccumulative potential**

An estimated BCF of 3.2 was calculated for methotrexate(SRC), using a log Kow of -1.85(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC), provided the compound is not altered physically or chemically once released into the environment(SRP).

### **Mobility in soil**

The Koc of methotrexate is estimated as 1(SRC), using a log Kow of -1.85(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that methotrexate is expected to have very high mobility in soil. The pKa of the

carboxylic acid moiety of methotrexate is 4.70(4), indicating that this compound will primarily exist in anion form in the environment and anions generally do not adsorb more strongly to organic carbon and clay than their neutral counterparts(5). However, aromatic amines are expected to bind strongly to humus or organic matter in soils due to the high reactivity of the aromatic amino group(6,7), suggesting that mobility may be much lower in some soils(SRC).

#### Other adverse effects

no data available

---

## SECTION 13: Disposal considerations

### Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### UN Number

ADR/RID: UN2811 (For reference only, please check.)

IMDG: UN2811 (For reference only, please check.)

IATA: UN2811 (For reference only, please check.)

### UN Proper Shipping Name

ADR/RID: TOXIC SOLID, ORGANIC, N.O.S. (For reference only, please check.)

IMDG: TOXIC SOLID, ORGANIC, N.O.S. (For reference only, please check.)

IATA: TOXIC SOLID, ORGANIC, N.O.S. (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: I (For reference only, please check.)

IMDG: I (For reference only, please check.)

IATA: I (For reference only, please check.)

### Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

### **Special precautions for user**

no data available

### **Transport in bulk according to IMO instruments**

no data available

---

## **SECTION 15: Regulatory information**

### **Safety, health and environmental regulations specific for the product in question**

#### **European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

#### **EC Inventory**

Listed.

#### **United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

#### **China Catalog of Hazardous chemicals 2015**

Not Listed.

#### **New Zealand Inventory of Chemicals (NZIoC)**

Listed.

#### **PICCS**

Not Listed.

#### **Vietnam National Chemical Inventory**

Listed.

#### **IECSC**

Not Listed.

#### **Korea Existing Chemicals List (KECL)**

Listed.

---

## **SECTION 16: Other information**

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

## References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageSize=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageSize=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.