ChemicalBook

Chemical Safety Data Sheet MSDS / SDS

Naringin dihydrochalcone

Revision Date: 2025-02-01 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Naringin dihydrochalcone

CBnumber : CB6140982 CAS : 18916-17-1

Synonyms : Naringin dihydrochalcone, Naringin DC

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

SECTION 2: Hazards identification

Classification of the substance or mixture

Not classified.

Label elements

Pictogram(s)

Signal word No signal word

Hazard statement(s)

none

Precautionary statement(s)

Prevention

none

Response

none

Storage

none

Disposal

none

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

Product name : Naringin dihydrochalcone

Synonyms : Naringin dihydrochalcone, Naringin DC

CAS : 18916-17-1
MF : C27H34O14
MW : 582.56

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately.

Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

no data available

Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

Extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Specific Hazards Arising from the Chemical

no data available

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

Individual protection measures

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Colour White to Off-white Odour no data available Melting point freezing point Remarks: The test item had no melting point at atmospheric condition. Boiling point or initial boiling point and boiling point and boiling point at atmospheric condition. Remarks: The test item had no boiling point at atmospheric condition. Flammability no data available Lower and upper explosion no data available Ilimit/flammability limit Flash point 302.7°C Auto-ignition temperature 390 °C. Remarks: At atm. press. of ca.1013.0 mBar. Decomposition temperature no data available Kinematic viscosity no data available Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks: Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.; < 0 Pa. Temperature:25 °C. Remarks: Vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.; or Qa. and the detection limit of the method, i.e. 10^5 hPa.; or Qa. and the detection limit of the method, i.e. 10^5 hPa.; or Qa. and the detection limit of the method, i.e. 10^5	Physical state	Powder
Melting point/freezing point Remarks:The test item had no melting point at atmospheric condition. Remarks:The test item had no boiling point at atmospheric condition. Remarks:The test item had no boiling point at atmospheric condition. boiling range Flammability no data available Lower and upper explosion no data available limit/flammability limit Flash point 302.7°C Auto-ignition temperature Decomposition temperature no data available pH no data available Kinematic viscosity no data available Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	Colour	White to Off-white
Boiling point or initial boiling point and boiling point and boiling range Flammability no data available Lower and upper explosion no data available limit/flammability limit Flash point 302.7°C Auto-ignition temperature 390 °C. Remarks:At atm. press. of ca.1013.0 mBar. Decomposition temperature no data available H no data available Kinematic viscosity no data available Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure 4 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	Odour	no data available
boliling range Flammability no data available Lower and upper explosion no data available limit/flammability limit Flash point 302.7°C Auto-ignition temperature 390 °C. Remarks:At atm. press. of ca.1013.0 mBar. Decomposition temperature no data available PH no data available Kinematic viscosity no data available Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.; < 0 Pa. Temperature:25 °C. Remarks:Vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	Melting point/freezing point	Remarks:The test item had no melting point at atmospheric condition.
Flammability no data available Lower and upper explosion no data available limit/flammability limit Flash point 302.7°C Auto-ignition temperature 390 °C. Remarks:At atm. press. of ca.1013.0 mBar. Decomposition temperature no data available pH no data available Kinematic viscosity no data available Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;<0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;<0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;<0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	Boiling point or initial boiling point and	Remarks:The test item had no boiling point at atmospheric condition.
Lower and upper explosion no data available limit/flammability limit Flash point 302.7°C Auto-ignition temperature 390 °C. Remarks:At atm. press. of ca.1013.0 mBar. Decomposition temperature no data available pH no data available Kinematic viscosity no data available Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	boiling range	
limit/flammability limit Flash point 302.7°C Auto-ignition temperature 390 °C. Remarks:At atm. press. of ca.1013.0 mBar. Decomposition temperature no data available pH no data available Kinematic viscosity no data available Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;<0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	Flammability	no data available
Flash point 302.7°C Auto-ignition temperature 390 °C. Remarks:At atm. press. of ca.1013.0 mBar. Decomposition temperature no data available pH no data available Kinematic viscosity no data available Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;<0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	Lower and upper explosion	no data available
Auto-ignition temperature 390 °C. Remarks:At atm. press. of ca.1013.0 mBar. Decomposition temperature no data available pH no data available Kinematic viscosity no data available Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	limit/flammability limit	
Decomposition temperature pH no data available Kinematic viscosity no data available Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure	Flash point	302.7°C
pH no data available Kinematic viscosity no data available Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	Auto-ignition temperature	390 °C. Remarks:At atm. press. of ca.1013.0 mBar.
Kinematic viscosity Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure	Decomposition temperature	no data available
Solubility Soluble in DMSO Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks: Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10 \$\cdot 5\$ hPa.; < 0 Pa. Temperature:25 °C. Remarks: Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10 \$\cdot 5\$ hPa.; < 0 Pa. Temperature:50 °C. Remarks: Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10 \$\cdot 5\$ hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	рН	no data available
Partition coefficient n-octanol/water log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703. Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2 °C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	Kinematic viscosity	no data available
Temperature:22.6 °C. Vapour pressure < 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	Solubility	Soluble in DMSO
Vapour pressure < 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	Partition coefficient n-octanol/water	log Pow = 1.01. Temperature:22.6 °C.;log Pow = 0.853. Temperature:22.6 °C.;log Pow = -0.703.
estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available		Temperature:22.6 °C.
detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available	Vapour pressure	< 0 Pa. Temperature:20 °C. Remarks:Vapour pressure values were calculated as conservative
values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available		estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the
pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10\5 hPa.;< 0 Pa. Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10\5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available		detection limit of the method, i.e. 10^5 hPa.;< 0 Pa. Temperature:25 °C. Remarks:Vapour pressure
Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates, based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available		values were calculated as conservative estimates, based on a lack of any detectable vapour
based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available		pressure of the test item up to 150.2°C, and the detection limit of the method, i.e. 10^5 hPa.;< 0 Pa.
limit of the method, i.e. 10^5 hPa. Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available		Temperature:50 °C. Remarks:Vapour pressure values were calculated as conservative estimates,
Density and/or relative density 1.4. Temperature:22 °C. Relative vapour density no data available		based on a lack of any detectable vapour pressure of the test item up to 150.2°C, and the detection
Relative vapour density no data available		limit of the method, i.e. 10^5 hPa.
	Density and/or relative density	1.4. Temperature:22 °C.
Particle characteristics no data available	Relative vapour density	no data available
	Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

no data available

Chemical stability

no data available

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Incompatible materials

no data available

Hazardous decomposition products

no data available

SECTION 11: Toxicological information

Acute toxicity

• Oral: no data available

• Inhalation: no data available

• Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna - > 100 mg/L - 48 h.

Toxicity to algae: EC50 - Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) - > 354 mg/L - 72 h.

Toxicity to microorganisms: no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Not Listed.

EC Inventory

Not Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Not Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Not Listed.

PICCS

Not Listed.

Vietnam National Chemical Inventory

Listed.

IECSC

Not Listed.

Korea Existing Chemicals List (KECL)

Not Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.