Chemical Safety Data Sheet MSDS / SDS

Nitrobenzene

Revision Date: 2024-12-21 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Nitrobenzene

CBnumber : CB7854756

CAS : 98-95-3

EINECS Number : 202-716-0

Synonyms: nitrobenzene, Nitrobenzol

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word Danger

Precautionary statements

P201 Obtain special instructions before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P320 Specific treatment is urgent (see ... on this label).

P330 Rinse mouth.

P370+P378 In case of fire: Use ... for extinction.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Hazard statements

H225 Highly Flammable liquid and vapour

H227 Combustible liquid

H300 Fatal if swallowed

H310 Fatal in contact with skin

H330 Fatal if inhaled

H351 Suspected of causing cancer

H361 Suspected of damaging fertility or the unborn child

H370 Causes damage to organs

H372 Causes damage to organs through prolonged or repeated exposure

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects

Disposal

WARNING.Cancer - https://oehha.ca.gov/proposition-65/chemicals/nitrobenzene

SECTION 3: Composition/information on ingredients

Substance

Product name : Nitrobenzene

Synonyms: nitrobenzene,Nitrobenzol

CAS : 98-95-3
EC number : 202-716-0
MF : C6H5NO2
MW : 123.11

SECTION 4: First aid measures

Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible.


Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

NFPA 704



Short exposure could cause serious temporary or moderate residual injury (e.g. <u>liquid hydrogen, sulfuric acid, calcium</u>

HEALTH 3

hypochlorite, hexafluorosilicic acid)

FIRE 2 divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, <u>sulfur</u>)

Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely

REACT 1 Normally stable, but can become unstable at elevated temperatures and pressures (e.g. <u>propene</u>)

SPEC.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use. Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under nitrogen.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min Material tested:Butoject? (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0,6 mm Break through time: 40 min

Material tested:Lapren? (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Exposure limits

TLV-TWA 1 ppm (\sim 5 mg/m³) (ACGIH, MSHA, and OSHA); IDLH 200 ppm (NIOSH).

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Appearance	colorless, yellow liquid, clear
Odour	pungent
Odour Threshold	No data available d) pH 8,0 - 8,5 at 1,00000 g/l at 20,0 °C Melting point/freezing point Initial boiling
	point and boiling range Melting point/range: 5 - 6 °C - lit. 210 - 211 °C - lit. Flash point 88,0 °C -
	closed cup Evaporation rate No data available Flammability (solid, gas) Upper/lower flammability or
	explosive limits No data available Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V)
	Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density No data available Density

Initial boiling point and boiling range 210 - 211 °C - lit. Flash point 88,0 °C - closed cup Evaporation rate 190 °F Flammability (solid, gas) No data available Upper/lower flammability or explosive Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available		1,196 g/cm3 at 25 °C - lit. Relative density No data available Water solubility 1,9 g/l at 20 °C Partition
Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available Melting point/freezing point Melting point/range: 5 - 6 °C - lit. Initial boiling point and boiling range 210 - 211 °C - lit. Flash point 88,0 °C - closed cup Evaporation rate 190 °F Flammability (solid, gas) No data available Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Ilmits Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties		coefficient: n-octanol/water Autoignition temperature log Pow: 1,86 at 24,5 °C 482,0 °C
data available Melting point/freezing point Melting point/freezing point Melting point/freezing point Melting point/freezing point Melting point/frange: 5 - 6 °C - lit. Flash point 88,0 °C - closed cup Evaporation rate 190 °F Flammability (solid, gas) No data available Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) limits Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available		Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available
Melting point/freezing point Melting point/range: 5 - 6 °C - lit. Initial boiling point and boiling range 210 - 211 °C - lit. Flash point 88,0 °C - closed cup Evaporation rate 190 °F Flammability (solid, gas) No data available Upper/lower flammability or explosive limits Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow. 1,86 at 24,5 °C Autoignition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available No data available No data available No data available		Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No
Initial boiling point and boiling range 210 - 211 °C - lit. Flash point 88,0 °C - closed cup Evaporation rate 190 °F Flammability (solid, gas) No data available Upper/lower flammability or explosive Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available		data available
Flash point 88,0 °C - closed cup Evaporation rate 190 °F Flammability (solid, gas) No data available Upper/lower flammability or explosive Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Upper/lower flammability or explosive Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Melting point/freezing point	Melting point/range: 5 - 6 °C - lit.
Evaporation rate 190 °F Flammability (solid, gas) No data available Upper/lower flammability or explosive Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Ilmits Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Initial boiling point and boiling range	210 - 211 °C - lit.
Flammability (solid, gas) No data available Upper/lower flammability or explosive Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Flash point	88,0 °C - closed cup
Upper/lower flammability or explosive Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V) Ilinits Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Evaporation rate	190 °F
Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Flammability (solid, gas)	No data available
Vapour pressure 66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Upper/lower flammability or explosive	Upper explosion limit: 40 %(V) Lower explosion limit: 1,8 %(V)
Vapour density 0.15 mm Hg (20 °C) Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	limits	
Relative density 4.2 (vs air) Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Vapour pressure	66,7 hPa at 120,0 °C 0,3 hPa at 20,0 °C
Water solubility 1,9 g/l at 20 °C Partition coefficient: n-octanol/water log Pow. 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Vapour density	0.15 mm Hg (20 °C)
Partition coefficient: n-octanol/water log Pow: 1,86 at 24,5 °C Autoignition temperature 482,0 °C Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Relative density	4.2 (vs air)
Autoignition temperature Autoignition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Water solubility	1,9 g/l at 20 °C
Decomposition temperature No data available Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Partition coefficient: n-octanol/water	log Pow: 1,86 at 24,5 °C
Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Autoignition temperature	482,0 °C
Explosive properties No data available Oxidizing properties No data available	Decomposition temperature	No data available
Oxidizing properties No data available	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
	Explosive properties	No data available
Henry's Law Constant 9.86 at 25 °C (thermodynamic method-GC/UV spectrophotometry, Altschuh et al., 1999)	Oxidizing properties	No data available
	Henry's Law Constant	9.86 at 25 °C (thermodynamic method-GC/UV spectrophotometry, Altschuh et al., 1999)

Other safety information

Surface tension 43,4 mWm at 20,0 °C

SECTION 10: Stability and reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, Strong reducing agents, Strong bases

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 349,0 mg/kg

Remarks: Behavioral:Altered sleep time (including change in righting reflex). Lungs, Thorax, or Respiration:Dyspnea.

(RTECS)

Oral

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation. Behavioral: Tremor.

(RTECS)

LD50 Dermal - Rabbit - 760 mg/kg Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

Respiratory or skin sensitization

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation Result: negative

Remarks: (ECHA)

Test Type: Micronucleus test Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Test Type: unscheduled DNA synthesis assay Species: Rat

Cell type: Liver cells Application Route: Oral

Method: OECD Test Guideline 486 Result: negative

Carcinogenicity

No data available

Reproductive toxicity

May damage fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. - Blood

Aspiration hazard

No data available

Toxicity

LD50 orally in rats: 600 mg/kg (PB91-108398)

SECTION 12: Ecological information

Toxicity

Toxicity to fish

flow-through test LC50 - Danio rerio (zebra fish) - 92 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 35 mg/l - 48 h

Toxicity to algae

static test ErC50 - Chlorella pyrenoidosa - 18 mg/l - 96 h (OECD Test Guideline 201)

Toxicity to bacteria

static test EC20 - activated sludge - 1.000 mg/l - 30 min (OECD Test Guideline 209)

Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 50 - 60 % - Readily biodegradable. (OECD Test Guideline 301F)

Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 42 d

at 25 °C - 0,125 mg/l(Nitrobenzene)

Bioconcentration factor (BCF): 3,1 - 4,8 (OECD Test Guideline 305C)

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Incompatibilities

Concentrated nitric acid, nitrogen tetroxide; caustics; phosphorus pentachloride; chemically-active metals, such as tin or zinc. Violent reaction with strong oxidizers and reducing agents. Attacks many plastics. Forms thermally unstable compounds with many organic and inorganic compounds.

Waste Disposal

Incineration (982°C, 2.0 seconds minimum) with scrubbing for nitrogen oxides abatement. Consult with environmental regulatory agencies for guidance on acceptable disposal practices. Generators of waste containing this contaminant (≥100 kg/mo) must conform with EPA regulations governing storage, transportation, treatment, and waste disposal.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

UN number

ADR/RID: 1662 IMDG: 1662 IATA: 1662

UN proper shipping name

ADR/RID: NITROBENZENE IMDG: NITROBENZENE IATA: Nitrobenzene

Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

Packaging group

ADR/RID: II IMDG: II IATA: II

Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

Special precautions for user

No data available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

SECTION 16: Other information

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit TWA: Time Weighted Average

References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

 $\begin{tabular}{l} \textbf{[PCS-The International Chemical Safety Cards (ICSC)}, we bsite: $http://www.ilo.org/dyn/icsc/showcard.home \\ \end{tabular}$

【10】 Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Other Information

Use of alcoholic beverages enhances the harmful effect. Depending on the degree of exposure, periodic medical examination is suggested. Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. Do NOT take working clothes home.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.