Chemical Safety Data Sheet MSDS / SDS

Tetrabutylphosphonium bromide

Revision Date: 2024-12-21 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Tetrabutylphosphonium bromide

CBnumber : CB2447834

CAS : 3115-68-2

EINECS Number : 221-487-8

Synonyms: Tetrabutylphosphonium bromide,Tetrabutylphosphonium

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word Danger

Precautionary statements

P405 Store locked up.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P262 Do not get in eyes, on skin, or on clothing.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Hazard statements

H302 Harmful if swallowed

H335 May cause respiratory irritation

H332 Harmful if inhaled

H318 Causes serious eye damage

H315 Causes skin irritation

H311 Toxic in contact with skin

H310 Fatal in contact with skin

SECTION 3: Composition/information on ingredients

Substance

Product name : Tetrabutylphosphonium bromide

Synonyms : Tetrabutylphosphonium bromide,Tetrabutylphosphonium

CAS : 3115-68-2 EC number : 221-487-8 MF : C16H36BrP MW : 339.33

SECTION 4: First aid measures

Description of first aid measures

General advice

First aider needs to protect himself. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Carbon oxides, Oxides of phosphorus, Hydrogen bromide gas Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.


Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Hygroscopic.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril? L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved

gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril? L

Body Protection protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Odour No data available Odour Threshold No data available pH No data available Melting point/freezing point Melting point/range: 100 - 103 °C - lit. Initial boiling point and boiling range ca.344 °C - OECD Test Guideline 103 - (decomposition) Flash point 290 °C - closed cup Evaporation rate No data available Flammability (solid, gas) Not classified as a flammability hazard - Flammability (solids) Upper/lower flammability or explosive No data available limits Vapour pressure Vapour density No data available Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available	Appearance	white crystalline
pH No data available Melting point/freezing point Melting point/range: 100 - 103 °C - lit. Initial boiling point and boiling range ca.344 °C - OECD Test Guideline 103 - (decomposition) Flash point 290 °C - closed cup Evaporation rate No data available Flammability (solid, gas) Not classified as a flammability hazard - Flammability (solids) Upper/lower flammability or explosive Imits Vapour pressure 0,00018 hPa at 25 °C - OECD Test Guideline 104 Vapour density No data available Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Odour	No data available
Melting point/freezing point Melting point/range: 100 - 103 °C - lit. Initial boiling point and boiling range ca.344 °C - OECD Test Guideline 103 - (decomposition) Flash point 290 °C - closed cup Evaporation rate No data available Flammability (solid, gas) Not classified as a flammability hazard - Flammability (solids) Upper/lower flammability or explosive limits Vapour pressure 0,00018 hPa at 25 °C - OECD Test Guideline 104 Vapour density No data available Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Odour Threshold	No data available
Initial boiling point and boiling range ca.344 °C - OECD Test Guideline 103 - (decomposition) Flash point 290 °C - closed cup Evaporation rate No data available Flammability (solid, gas) Not classified as a flammability hazard - Flammability (solids) Upper/lower flammability or explosive No data available limits Vapour pressure 0,00018 hPa at 25 °C - OECD Test Guideline 104 Vapour density No data available Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	рН	No data available
Flash point 290 °C - closed cup Evaporation rate No data available Flammability (solid, gas) Not classified as a flammability hazard - Flammability (solids) Upper/lower flammability or explosive No data available limits Vapour pressure 0,00018 hPa at 25 °C - OECD Test Guideline 104 Vapour density No data available Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Melting point/freezing point	Melting point/range: 100 - 103 °C - lit.
Evaporation rate No data available Flammability (solid, gas) Not classified as a flammability hazard - Flammability (solids) Upper/lower flammability or explosive No data available limits Vapour pressure 0,00018 hPa at 25 °C - OECD Test Guideline 104 Vapour density No data available Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Initial boiling point and boiling range	ca.344 °C - OECD Test Guideline 103 - (decomposition)
Flammability (solid, gas) Not classified as a flammability hazard - Flammability (solids) Upper/lower flammability or explosive limits Vapour pressure 0,00018 hPa at 25 °C - OECD Test Guideline 104 Vapour density No data available Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Flash point	290 °C - closed cup
Upper/lower flammability or explosive limits Vapour pressure 0,00018 hPa at 25 °C - OECD Test Guideline 104 Vapour density No data available Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Evaporation rate	No data available
Vapour pressure 0,00018 hPa at 25 °C - OECD Test Guideline 104 Vapour density No data available Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Flammability (solid, gas)	Not classified as a flammability hazard - Flammability (solids)
Vapour pressure 0,00018 hPa at 25 °C - OECD Test Guideline 104 Vapour density No data available Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Upper/lower flammability or explosive	No data available
Vapour density No data available Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	limits	
Relative density 1,8 g/cm3 at 24 °C - OECD Test Guideline 109 Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Vapour pressure	0,00018 hPa at 25 °C - OECD Test Guideline 104
Water solubility 882 g/l at 20 °C - completely soluble Partition coefficient: n-octanol/water log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Vapour density	No data available
Partition coefficient: n-octanol/water log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Relative density	1,8 g/cm3 at 24 °C - OECD Test Guideline 109
Autoignition temperature 420 °C at 1.027 - 1.030 hPa - DIN 51794 Decomposition temperature No data available Viscosity No data available	Water solubility	882 g/l at 20 °C - completely soluble
Decomposition temperature No data available Viscosity No data available	Partition coefficient: n-octanol/water	log Pow: -0,44 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.
Viscosity No data available	Autoignition temperature	420 °C at 1.027 - 1.030 hPa - DIN 51794
	Decomposition temperature	No data available
	Viscosity	No data available
Explosive properties No data available	Explosive properties	No data available
Oxidizing properties No data available	Oxidizing properties	No data available

Other safety information

Surface tension 68,7 mN/m at 20 °C

- OECD Test Guideline 115

SECTION 10: Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

No data available

Conditions to avoid

Strong heating.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Oxides of phosphorus, Hydrogen bromide gas Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 420 mg/kg

Remarks: Diarrhea Lungs, Thorax, or Respiration:Other changes. Liver:Other changes. (RTECS)

LD50 Dermal - Rabbit - male - > 500 - < 1.000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: Based on available data the classification criteria are not met. - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye (OECD Test Guideline 405)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: The product is a skin sensitizer, sub-category 1B. (OECD Test Guideline 429)

Germ cell mutagenicity

Ames test

Escherichia coli/Salmonella typhimurium Result: negative

Chromosome aberration test in vitro Human lymphocytes

Result: negative

In vitro mammalian cell gene mutation test mouse lymphoma cells

Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - LOAEL (Lowest observed adverse effect level) - 100 mg/kg

RTECS: TA2417000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

Toxicity

Toxicity to fish

static test LC50 - Cyprinus carpio (Carp) - > 100 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 4,1 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata - 2,84 mg/l - 72 h (OECD Test Guideline 201)

static test NOEC - Pseudokirchneriella subcapitata - 0,32 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria

static test EC50 - activated sludge - 270 mg/l - 3 h (OECD Test Guideline 209)

Persistence and degradability

Biodegradability aerobic - Exposure time 29 d

Result: 9 % - Not readily biodegradable. (OECD Test Guideline 301B)

Biochemical Oxygen Demand (BOD)

Chemical Oxygen Demand (COD)

440 mg/g

Remarks: (External MSDS)

2.320 mg/g

Remarks: (External MSDS)

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

Additional ecological information

Discharge into the environment must be avoided. Depending on the concentration, phosphorus compounds may contribute to the eutrophication of water supplies.

SECTION 13: Disposal considerations

Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

UN number

ADR/RID: 3464 IMDG: 3464 IATA: 3464

UN proper shipping name

ADR/RID: ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S. (tetra-n-

butylphosphonium bromide)

IMDG: ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S. (tetra-n-

butylphosphonium bromide)

IATA: Organophosphorus compound, solid, toxic, n.o.s. (tetra-n-butylphosphonium bromide)

Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

Packaging group

ADR/RID: III IMDG: III IATA: III

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

No data available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
 Chemical Book

- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- 【10】 Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.