

## Chemical Safety Data Sheet MSDS / SDS

## Thiourea

Revision Date:2025-02-01 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier**

Product name : Thiourea  
CBnumber : CB9854008  
CAS : 62-56-6  
EINECS Number : 200-543-5  
Synonyms : thiourea,Thiocarbamide

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Warning

**Precautionary statements**

P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P501 Dispose of contents/container to.....  
P405 Store locked up.  
P391 Collect spillage. Hazardous to the aquatic environment  
P308+P313 IF exposed or concerned: Get medical advice/attention.

**Hazard statements**

H411 Toxic to aquatic life with long lasting effects  
H361 Suspected of damaging fertility or the unborn child

H351 Suspected of causing cancer

H302 Harmful if swallowed

#### **Disposal**

WARNING.Cancer - <https://oehha.ca.gov/proposition-65/chemicals/thiourea>

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Thiourea
Synonyms	: thiourea,Thiocarbamide
CAS	: 62-56-6
EC number	: 200-543-5
MF	: CH4N2S
MW	: 76.12

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air. Call in physician.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **Indication of any immediate medical attention and special treatment needed**

No data available

---

## SECTION 5: Firefighting measures

### **Extinguishing media**

#### **Suitable extinguishing media**

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Combustible.

Risk of dust explosion.

Development of hazardous combustion gases or vapours possible in the event of fire.


### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

SPEC.

HAZ.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### **Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### **Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Tightly closed. Dry. Tightly closed. Dry. Handle and store under inert gas.

#### **Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **control parameter**

#### **Hazard composition and occupational exposure limits**

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril? L

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril? L

#### Body Protection

protective clothing

#### Respiratory protection

Recommended Filter type: Filter B-(P3)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	white crystalline
Odour	odorless
Odour Threshold	Not applicable
pH	5,0 - 7 at 50 g/l at 20 °C
Melting point/freezing point	Melting point/range: 170 - 176 °C
Initial boiling point and boiling range	263.89°C (estimate)
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.406
Water solubility	137 g/l at 20 °C
Partition coefficient: n-octanol/water	log Pow: -0,92 at 20 °C - Bioaccumulation is not expected.
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

### Other safety information

Surface tension ca.65,4 mN/m at 1g/l at 20 °C

- OECD Test Guideline 115

---

## SECTION 10: Stability and reactivity

### Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Risk of explosion with: chlorates

Violent reactions possible with: acryl aldehyde

Exothermic reaction with: Acrolein

Strong oxidizing agents Strong acids and strong bases hydrogen peroxide  
with Nitric acid

### Conditions to avoid

Heat.

no information available

### Incompatible materials

no information available

### Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - 2.000 - 2.500 mg/kg

(OECD Test Guideline 423)

LC50 Inhalation - Rat - male and female - 4 h - > 195 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - > 2.800 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

#### Respiratory or skin sensitization

(OECD Test Guideline 406)

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

Suspected of damaging the unborn child. Suspected of damaging fertility.

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**Toxicity**

LD50 orally in wild Norway rats: 1830 mg/kg (Dieke)

---

## SECTION 12: Ecological information

### Toxicity

**Toxicity to fish**

static test LC50 - Pimephales promelas (fathead minnow) - > 600 mg/l - 96 h

Remarks: (ECHA)

**Toxicity to daphnia and other aquatic invertebrates**

EC50 - Daphnia magna (Water flea) - 5,6 - 18,0 mg/l - 48 h

**Toxicity to algae**

EC50 - Desmodesmus subspicatus (green algae) - 6,8 mg/l - 96 h Remarks: (External MSDS)

**Toxicity to bacteria**

EC10 - Pseudomonas putida - 1.265 mg/l - 18 h

Remarks: (IUCLID)

### Persistence and degradability

Biodegradability aerobic - Exposure time 34 d

Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301C)

Biochemical Oxygen Demand (BOD)

mg/g

Remarks: (IUCLID)

### Bioaccumulative potential

No data available

### **Mobility in soil**

No data available

### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Other adverse effects**

---

## **SECTION 13: Disposal considerations**

### **Waste treatment methods**

#### **Product**

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **Incompatibilities**

Dust may form explosive mixture with air. Reacts violently with acrolein, strong acids (nitric acid). Incompatible with oxidizers (chlorates, nitrates, peroxides, permanganates, perchlorates, chlorine, bromine, fluorine, etc.); contact may cause fires or explosions. Keep away from alkaline materials, strong bases, strong acids, oxoacids, epoxides.

#### **Waste Disposal**

Consult with environmental regulatory agencies for guidance on acceptable disposal practices. Generators of waste containing this contaminant ( $\geq 100$  kg/mo) must conform with EPA regulations governing storage, transportation, treatment, and waste disposal.

---

## **SECTION 14: Transport information**

### **UN number**

ADR/RID: 3077 IMDG: 3077 IATA: 3077

### **UN proper shipping name**

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thiourea) IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thiourea)

IATA: Environmentally hazardous substance, solid, n.o.s. (Thiourea)

### **Transport hazard class(es)**

ADR/RID: 9 IMDG: 9 IATA: 9

### **Packaging group**

ADR/RID: III IMDG: III IATA: III

### **Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

### **Special precautions for user**



## Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: <https://www.mem.gov.cn/>

#### Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

---

## SECTION 16: Other information

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

### References

**[1]** CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

**[2]** ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

**[3]** ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

**[4]** eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

**[5]** ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

**[6]** Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### **Other Information**

Do NOT take working clothes home.

#### **Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.