

## Chemical Safety Data Sheet MSDS / SDS

## Triethylamine

Revision Date:2025-02-01 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Triethylamine  
CBnumber : CB5355941  
CAS : 121-44-8  
EINECS Number : 204-469-4  
Synonyms : TEA,triethylamine

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P370+P378 In case of fire: Use ... for extinction.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### **Hazard statements**

H225 Highly Flammable liquid and vapour

H302 Harmful if swallowed

H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H332 Harmful if inhaled

H335 May cause respiratory irritation

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Triethylamine
Synonyms	: TEA,triethylamine
CAS	: 121-44-8
EC number	: 204-469-4
MF	: C6H15N
MW	: 101.19

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **In case of skin contact**

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### **In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### **If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **Indication of any immediate medical attention and special treatment needed**

No data available

---

## SECTION 5: Firefighting measures

## Extinguishing media

### Suitable extinguishing media

Dry powder Dry sand

### Unsuitable extinguishing media

Do NOT use water jet.

## Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NO<sub>x</sub>)


## Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## Further information

Use water spray to cool unopened containers.

## NFPA 704



<input checked="" type="checkbox"/>	HEALTH	3	Short exposure could cause serious temporary or moderate residual injury (e.g. <a href="#">liquid hydrogen</a> , <a href="#">sulfuric acid</a> , <a href="#">calcium hypochlorite</a> , hexafluorosilicic acid)
<input checked="" type="checkbox"/>	FIRE	3	Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, <a href="#">acetone</a> )
<input checked="" type="checkbox"/>	REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <a href="#">N<sub>2</sub></a> )
<input type="checkbox"/>	SPEC.		
<input type="checkbox"/>	HAZ.		

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

##### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 480 min

Material tested: Camatril? (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,2 mm Break through time: 49 min

Material tested: Dermatril? P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Exposure limits

NIOSH REL: IDLH 200 ppm; OSHA PEL: TWA 25 ppm (100 mg/m<sup>3</sup>); ACGIH TLV: TWA 1 ppm, STEL 3 ppm (adopted).

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	colourless liquid
Odour	amine-like
Odour Threshold	0.0054ppm
pH	12,7 at 100 g/l at 15 °C
Melting point/freezing point	Melting point/range: -115 °C - lit.
Initial boiling point and boiling range	88,8 °C - lit.
Flash point	-11 °C - c.c.
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 9,3 %(V) Lower explosion limit: 1,2 %(V)
Vapour pressure	72 hPa at 20 °C
Vapour density	3,48
Relative density	0,726 g/cm <sup>3</sup> at 25 °C
Water solubility	112,4 g/l at 20 °C - soluble
Partition coefficient: n-octanol/water	log Pow: 1,45 - Bioaccumulation is not expected.
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available

---

Explosive properties	No data available
Oxidizing properties	No data available
Henry's Law Constant	1.79 at 25 °C (Christie and Crisp, 1967)

---

### Other safety information

Relative vapour density  
3,48

---

## SECTION 10: Stability and reactivity

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

No data available

### Conditions to avoid

Heat, flames and sparks.

### Incompatible materials

Strong oxidizing agents

### Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 730 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 3,63 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rabbit - male - 580 mg/kg (OECD Test Guideline 402)

Remarks: (ECHA)

#### Skin corrosion/irritation

Skin - Rabbit Result: Corrosive

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage. (OECD Test Guideline 405)

Risk of corneal clouding. Causes serious eye damage.

#### **Respiratory or skin sensitisation**

No data available

#### **Germ cell mutagenicity**

Ames test

Salmonella typhimurium Result: negative

Rat - male - Bone marrow Result: negative

#### **Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure**

May cause respiratory irritation.

#### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: YE0175000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Central nervous system - Irregularities - Based on Human Evidence

#### **Toxicity**

LD50 orally in rats: 0.46 g/kg (Smyth)

---

## SECTION 12: Ecological information

### **Toxicity**

#### **Toxicity to fish**

LC50 - *Oryzias latipes* (Orange-red killifish) - 24 mg/l - 96 h (OECD Test Guideline 203)

#### **Toxicity to daphnia and other aquatic invertebrates**

semi-static test LC50 - *Ceriodaphnia dubia* (water flea) - 17 mg/l - 48 h

(US-EPA)

#### **Toxicity to algae**

EC50 - *Pseudokirchneriella subcapitata* (green algae) - 8 mg/l - 72 h (OECD Test Guideline 201)

#### **Toxicity to bacteria**

static test EC50 - *Pseudomonas putida* - 95 mg/l - 17 h (DIN 38421 TEIL 8)

### **Persistence and degradability**

Biodegradability aerobic - Exposure time 29 d

Result: 80,3 % - Readily biodegradable. (OECD Test Guideline 301B)

### **Bioaccumulative potential**

Bioaccumulation *Cyprinus carpio* (Carp) - 42 d

at 25 °C - 0,5 mg/l(Triethylamine)

Bioconcentration factor (BCF): < 0,5 (OECD Test Guideline 305C)

Remarks: Does not bioaccumulate.

### **Mobility in soil**

No data available

### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Toxics Screening Level**

The initial threshold screening level (ITSL) for triethylamine (CAS # 121-44-8) is 7 µg/m<sup>3</sup> based on an annual averaging time. The second initial threshold screening level is 21 µg/m<sup>3</sup> based on an 8-hour averaging time.

### **Other adverse effects**

Toxic to aquatic life. No data available

---

## **SECTION 13: Disposal considerations**

### **Waste treatment methods**

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### **Incompatibilities**

A strong base. Violent reaction with strong acids; halogenated compounds; and strong oxidizers. Attacks some forms of plastics, rubber and coatings. Corrosive to aluminum, zinc, copper, and their alloys in the presence of moisture. Reaction with nitrosating agents (e.g., nitrites, nitrous gases, and nitrous acid) capable of releasing carcinogenic nitrosamines.

#### **Waste Disposal**

Controlled incineration (incinerator equipped with a scrubber or thermal unit to reduce nitrogen oxides emissions).

#### **Contaminated packaging**

Dispose of as unused product.

---



## SECTION 14: Transport information

### UN number

ADR/RID: 1296 IMDG: 1296

### UN proper shipping name

ADR/RID: TRIETHYLAMINE IMDG: TRIETHYLAMINE IATA: Triethylamine

### Transport hazard class(es)

ADR/RID: 3 (8) IMDG: 3 (8) IATA: 3 (8)

### Packaging group

ADR/RID: II IMDG: II IATA: II

### Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

### Special precautions for user

No data available

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: <https://www.mem.gov.cn/>

#### Measures for Environmental Management of New Chemical Substances

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

EC Inventory:Listed.

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

## References

- 【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- 【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- 【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>
- 【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- 【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- 【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- 【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- 【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- 【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- 【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

## Other Information

The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered. The odour warning when the exposure limit value is exceeded is insufficient.

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.