# Chemical Safety Data Sheet MSDS / SDS

# Trimethylolpropane triacrylate

Revision Date: 2025-01-06 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : Trimethylolpropane triacrylate

CBnumber : CB1215942
CAS : 15625-89-5
EINECS Number : 239-701-3

Synonyms : tmpta,trimethylolpropane triacrylate

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

## **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

## **SECTION 2: Hazards identification**

## Classification of the substance or mixture

Skin irritation, Category 2

Eye irritation, Category 2

Skin sensitization, Category 1

## Label elements

## Pictogram(s)

Signal word Warning

## Hazard statement(s)

H227 Combustible liquid

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

#### Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

#### Prevention

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

#### Response

P302+P352 IF ON SKIN: Wash with plenty of water/...

P321 Specific treatment (see ... on this label).

P332+P317 If skin irritation occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P317 If skin irritation or rash occurs: Get medical help.

#### Storage

none

#### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

## Other hazards

no data available

# SECTION 3: Composition/information on ingredients

#### **Substance**

Product name : Trimethylolpropane triacrylate

Synonyms : tmpta,trimethylolpropane triacrylate

CAS : 15625-89-5
EC number : 239-701-3
MF : C15H20O6
MW : 296.32

## SECTION 4: First aid measures

## Description of first aid measures

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

#### Most important symptoms and effects, both acute and delayed

no data available

#### Indication of any immediate medical attention and special treatment needed

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature.

Obtain medical attention. Poisons A and B

# **SECTION 5: Firefighting measures**

## **Extinguishing media**

Use dry chemical, carbon dioxide or alcohol-resistant foam.

## **Specific Hazards Arising from the Chemical**


no data available

#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## **NFPA 704**

FIRE



Poses no health hazard, no precautions necessary and would offer no hazard beyond that of ordinary combustible HEALTH 0 materials

Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion

1 can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)

	SPEC.
	HAZ.

## SECTION 6: Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

## **Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

## SECTION 7: Handling and storage

## Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

## Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

## SECTION 8: Exposure controls/personal protection

## **Control parameters**

#### Occupational Exposure limit values

no data available

### **Biological limit values**

no data available

## **Exposure controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

## Individual protection measures

## Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

## Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

#### Thormal hazards

no data available

# SECTION 9: Physical and chemical properties

## Information on basic physicochemical properties

Physical state	Liquid
Colour	Viscous, colorless to tan liquid
Odour	Acrylic or pungent odor
Melting point/freezing point	< -20 °C. Atm. press.:Ca. 1 013 hPa.
Boiling point or initial boiling point and	> 390 °C. Atm. press.:Ca. 1 013 hPa.
boiling range	
Flammability	no data available
Lower and upper explosion	no data available
limit/flammability limit	
Flash point	194.5 °C. Atm. press.:Ca. 1 013 hPa.
Auto-ignition temperature	385 °C. Atm. press.:Ca. 1 013 hPa.
Decomposition temperature	no data available
рН	no data available
Kinematic viscosity	dynamic viscosity (in mPa s) = 122. Temperature:20°C.
Solubility	Insoluble in water
Partition coefficient n-octanol/water	log Pow = 4.35. Temperature:20. Remarks:Calculated from solubility in octanol and the CMC.
Vapour pressure	<0.01 mm Hg ( 20 °C)
Density and/or relative density	1.1
Relative vapour density	1.1
Particle characteristics	no data available

# SECTION 10: Stability and reactivity

## Reactivity

no data available

## **Chemical stability**

no data available

## Possibility of hazardous reactions

no data available

## **Conditions to avoid**

no data available

## Incompatible materials

no data available

## Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

# **SECTION 11: Toxicological information**

## **Acute toxicity**

• Oral: LD50 Rat oral 5190 mg/kg

• Inhalation: no data available

• Dermal: no data available

## Skin corrosion/irritation

no data available

## Serious eye damage/irritation

no data available

## Respiratory or skin sensitization

no data available

## Germ cell mutagenicity

no data available

## Carcinogenicity

no data available

## Reproductive toxicity

no data available

## STOT-single exposure

no data available

## STOT-repeated exposure

no data available

## **Aspiration hazard**

no data available

SECTION 12: Ecological information

**Toxicity** 

Toxicity to fish: LC50 - Danio rerio (previous name: Brachydanio rerio) - 0.87 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: LC50 - Daphnia magna - 19.9 mg/L - 48 h.

Toxicity to algae: EC50 - Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) - 18.8 mg/L - 72 h.

Toxicity to microorganisms: EC20 - activated sludge, domestic - 625 mg/L - 30 min. Remarks: Respiration rate.

Persistence and degradability

AEROBIC: Trimethylolpropane triacrylate, present at 100 mg/L, reached 19% of its theoretical BOD in 4 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MITI test(1); however, total degradation of trimethylolpropane triacrylate was 87% over the 4-week period with the formation of the diacrylate and monoacrylate esters plus trimethylolpropane(1).

Bioaccumulative potential

An estimated BCF of 30 was calculated in fish for trimethylolpropane triacrylate(SRC), using a log Kow of 2.75(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC). Based on exposure periods of 6 or 8 weeks in flow-through tests, the bioconcentration potential of trimethylolpropane triacrylate in carp has been classified as low (actual BCF values not reported)(4).

Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of trimethylolpropane triacrylate can be estimated to be 1510(SRC). According to a classification scheme(2), this estimated Koc value suggests that trimethylolpropane triacrylate is expected to have low mobility in soil.

**Toxics Screening Level** 

The initial threshold screening levels for trimethyl propane triacrylate (TMPTA) are 1 μg/m3 (annual averaging time) and 20 μg/m3 (1-hour averaging time) based on the Michigan Department of Environment, Great Lakes, and Energy (EGLE) Air Quality Division (AQD) Rules 336.1232(1)(d) and (2)(c), and 336.1233(1) and (2).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

# **SECTION 14: Transport information**

#### **UN Number**

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

## **UN Proper Shipping Name**

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

## Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

## Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: No

IMDG: No

IATA: No

## Special precautions for user

no data available

## Transport in bulk according to IMO instruments

no data available

# SECTION 15: Regulatory information

## Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

## **EC Inventory**

Listed.

## United States Toxic Substances Control Act (TSCA) Inventory

Listed

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

**PICCS** 

Listed.

Vietnam National Chemical Inventory

Listed.

**IECSC** 

Listed

Korea Existing Chemicals List (KECL)

Listed.

## SECTION 16: Other information

## Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

 $ERG-Emergency\ Response\ Guidebook\ by\ U.S.\ Department\ of\ Transportation,\ website:\ http://www.phmsa.dot.gov/hazmat/library/erg$ 

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.